

DG TAXUD

# **Address Processing Guidance**

## ICS2

Date: 14/06/2023 Doc. Version: 1.10

#### **Document Control Information**

Settings	Value	
Document Title:	Address Processing Guidance	
Project Title:	ICS2	
Document Author:	DG TAXUD ICS2 Project team	
Project Owner:	DG TAXUD ICS2 Project team	
Doc. Version:	1.10	
Sensitivity:	Basic	
Date:	14/06/2023	

#### Document Approver(s) and Reviewer(s):

NOTE: All Approvers are required. Records of each approver must be maintained. All Reviewers in the list are considered required unless explicitly listed as Optional.

Name	Role	Action	Date

#### **Document history:**

The Document Author is authorized to make the following types of changes to the document without requiring that the document be re-approved:

- Editorial, formatting, and spelling
- Clarification

To request a change to this document, contact the Document Author or Owner.

Changes to this document are summarized in the following table in reverse chronological order (latest version first).

Revision	Date	Created by	Short Description of Changes
0.10	31/04/2020	DG TAXUD	Initial version
0.20	03/06/2020	DG TAXUD	Implementing improvements proposed by Business Team
1.0	10/07/2020	DG TAXUD	Final version
1.10	14/06/2023	DG TAXUD	Implementing ICS2 Release 2 changes

#### TABLE OF CONTENTS

1	INTE	RODUCTION	5
	1.1	Purpose	5
	1.2	Scope	5
	1.3	Target Audience	5
	1.4	Structure of this document	5
	1.5	Reference and applicable documents	6
	1	I.5.1 Reference Documents	6
	1.6	Abbreviations and Acronyms	6
2	POS	TAL ADDRESS AS DEFINED IN ICS2 ENS FILLING	7
3	MAI	PPING POSTAL ADDRESS TO ICS2 MESSAGE ELEMENTS	8
	3.1	ITMATT mapping	9
4		ITMATT mapping1	
4			0
4	HAN	IDLING NON-STANDARD ADDRESSES	.0 .0
4	<b>HAN</b> 4.1	IDLING NON-STANDARD ADDRESSES	.0 .0
4	<b>HAN</b> 4.1 4.2	IDLING NON-STANDARD ADDRESSES	.0 .1 .2
4	HAN 4.1 4.2 4.3	IDLING NON-STANDARD ADDRESSES       1         Missing Street name       1         Multiple house numbers       1         Address with no house number       1	.0 .1 .2 .3
4	HAN 4.1 4.2 4.3 4.4	IDLING NON-STANDARD ADDRESSES       1         Missing Street name       1         Multiple house numbers       1         Address with no house number       1         Industrial zones       1	.0 .1 .2 .3
4	<ul> <li>HAN</li> <li>4.1</li> <li>4.2</li> <li>4.3</li> <li>4.4</li> <li>4.5</li> </ul>	IDLING NON-STANDARD ADDRESSES       1         Missing Street name       1         Multiple house numbers       1         Address with no house number       1         Industrial zones       1         P.O. BOX address       1	.0 .1 .2 .3 .4

#### TABLE OF TABLES

Table 1: Reference documents	6
Table 2: Abbreviations and acronyms	6
Table 3: Address format for message submission	7
Table 4: Postal Address elements mapping	8
Table 5: ITMATT Postal Address elements mapping for ICS2 message	9
Table 6: Address format for message submission	10
Table 7: Address format for message submission	11
Table 8: Address format for message submission	12
Table 9: Address format for message submission	13
Table 10: Address format for message submission	14
Table 11: Address format for message submission	14
Table 12: Address format for message submission	15
Table 13: Address format for message submission	15

### **1** INTRODUCTION

### 1.1 Purpose

This guidance explains how to declare postal address in a correct manner supporting seamless submission of ENS filings in ICS2. The document will help you become familiar with the various data elements involved in the Address entity of ICS2 and what rules and constraints apply thereto.

Generally, the address details should be collected in a right format and structure from the source, however, not all economic operators are able to do so from the start of the ICS2 Release 2. For the transitional period of ICS2 in Release 2, it is allowed to submit postal address that is parsed by automated means, whenever collecting normalized address at source is not possible. In that case, the rules for submission as described in this document need to be followed.

### 1.2 Scope

This document covers ICS2 rules for postal addresses handling and features non-exhaustive list of examples for guidance.

### **1.3 Target Audience**

The intended audience for this document are the representatives of the Member States, Economic Operators, any person involved in ICS2 project.

### **1.4** Structure of this document

The present document contains the following chapters:

- **Chapter 1 Introduction**: describes the scope and the objectives of the document;
- Chapter 2 Postal Address definition: describes basic attributes of ICS2 address structure
- Chapter 3 Mapping postal Address: describes how to map common postal elements for ICS2 structure

## **1.5** Reference and applicable documents

### **1.5.1 Reference Documents**

Ref.	Title	Reference	Version	Date
R01	ICS2 Definitions		1.10	15/10/2018
R02	ICS2 Information Exchange Specifications		2.02	04/05/2022
R03	ICS2 HTI Rules and Conditions		2.01	23/05/2022
R04	ICS2 HTI Code Lists		2.01	23/05/2022

Table 1: Reference documents

### **1.6 Abbreviations and Acronyms**

Abbreviation/Acronym	Definition	
CR	Common Repository	
ENS	Entry Summary Declaration	
EU	European Union	
HTI	Harmonised Trader Interface	
ICS2	Import Control System 2	
IE	Information exchange	
MS	Member State	
NES	National Entry System	

Table 2: Abbreviations and acronyms

### 2 POSTAL ADDRESS AS DEFINED IN ICS2 ENS FILLING

Element Name	Format	Mandatory?	WCO Name	WCO ID
City	AN35	Yes	City name	241
Country	A2	Yes	Country, coded	242
Sub-division	AN35	No	Country sub-entity name	243
Street	AN70	Yes, unless PO BOX used	Street and number/P.O. Box	239
Postcode	AN17	Only if country uses it for all addresses	Postcode identification	245
Street additional line	AN70	No		
Number	AN35	Yes, unless PO BOX used	House number	520
P.O. Box	AN70	Yes, unless Number used	P. O. Box	522

Following address format is used for ICS2 messages to submit ENS Filling.

Table 3: Address format for message submission

Please note that all submissions are subject to the following rules and conditions. For more details on those rules refer to document R03.

#### Rule R3002:

In the 'ADDRESS' class either 'ADDRESS/Street' and 'ADDRESS/Number' or 'ADDRESS/P.O.Box' has to be used.

*Explanation: Address must come with filled in Street name (on the Street element) AND number to designate building OR Address must come with Post Office Box number.* 

#### Condition C3034:

IF 'ADRESS/Country' in CL733 has a country code with postal code indicator 'C',

THEN Postcode attribute in the same class is O,

ELSE it is M.

*Explanation: If address belongs to the country, which uses postcodes for all addresses (refer to RO6 document for full list), then postcode must be filled. Otherwise, postcode is optional and can be left blank if it is not known.* 

### **3** MAPPING POSTAL ADDRESS TO ICS2 MESSAGE ELEMENTS

Postal address can be composed of multiple non-standard attributes that need to be normalized and submitted to ICS2. In order to ensure data quality and basic data uniformity, following table describes how to handle various known postal address data and categorize them for ICS2 submission.

In case postal address contains more elements that are mapped to single element in ICS2 message, use all information separated by coma.

**Recommendation:** In case address for submission is not clearly separated or submission system does not use some following address elements, non-intervention is preferred over machine parsing with low degree of confidence. In that case, it is better to provide address as stored and put all information in Street line 1. Machine processing is recommended for house number still, but as duplicate extract from original address. In other words, copying it from address rather than cutting it.

Address Element	Description	Mapping in ICS2 Message
House	Name of the venue or building (Sydney Opera House, Empire State Building)	Street
Near to	Phrases like "Near to", "Next to", "In front of" or other description in natural language including text that follow	
House Number	External building number. May be a compound, hyphenated number that also includes an apartment number, or a block number.	Number
Road/Street or Intersection/Junction	Road or street name or number, intersection of streets or named junction	Street
Unit	Apartment, unit, office, lot, or another secondary unit designator	Street additional line
Level	Expressions indicating a floor number e.g. "3rd Floor", "Ground Floor", etc.	Street additional line
Staircase	Numbered or lettered staircase designation	
Entrance	Numbered or lettered entrance designation	Street additional line
PO Box	Unique identification of Post Office box	P. O. Box
Post code	Postal code used for mail sorting	Postcode
Suburb	Neighbourhood name, usually intra-city	Street additional line
City District	Official city district name	Street additional line
City	Any settlement type, village, town or city.	City
Island	Named island	Sub-division
State district	Second level administrative division	Sub-division
State	First level administrative division	Sub-division
Country District	Country sub-division	Sub-division
Country	Sovereign nation and dependant territory with assigned	
World Region	Used for appending the country name	Not used

Table 4: Postal Address elements mapping

### 3.1 ITMATT mapping

Due widespread usage of UPU (standards for postal data exchange in form of ITMATT – Electronic communication of item information), it is very likely that source data will be available in accordance with this format. To simplify process of mapping this data to ICS2 message, refer to following table.

Address Element	Description	Mapping in ICS2 Message	
Premises	Specification of the address, other than the party identification and the locality, with up to 4 lines. This is usually the street, or more generally, the premises.	Street and Number	
	Since in most common cases it features street name and house number, these needs to be filled in appropriate elements.		
Locality name	Free text specification of the geographical area.	City	
Country code	ISO 3166–1 two-character country code.	Country	
Locality code Valid postcode designating the location concerned. Required if there is a postal code system in the country concerned. This code is not prefixed with the country code.		Postcode	
Locality region Free text specification of the country subdivision, such as state, province or similar subdivision.		Sub-division	

Table 5: ITMATT Postal Address elements mapping for ICS2 message

Please see the example constructed using the rules in following table. You will find example of standard address with common elements.

#### Example:

POSTFACH 73, HAMBURG, 22129, DE

#### Disambiguation:

Element Name in ITMATT	Value	Element Name in ICS2 message	Commentary
Premises	Postfach 73	Street	Street name
		Number	House number
Locality name	Hamburg	City	City, town or settlement name
Locality code	22129	Postcode	Postal code
Country code	DE	Country	Country in ISO Code

### 4 HANDLING NON-STANDARD ADDRESSES

Postal addresses in many countries do not follow the same scheme or it is permitted to omit some elements that are deemed mandatory elsewhere. If encountering these exceptional cases, it is recommended to follow these rules to fill ICS2 message.

### 4.1 Missing Street name

In some countries, mostly in rural areas it is allowed to omit street name since small villages do not have named streets and rely on house numbers only.

#### Example:

Kolešovice 303, 27002, CZ

#### Disambiguation:

Element Name	Format	Commentary
City	Kolešovice	Name of the village
Country	CZ	Country in ISO Code
Sub-division	Not used	No subdivision for this address
Street	Kolešovice 303	Use name of the city and house number
Postcode	27002	-
Street additional line	Not used	No additional line needed
Number	303	House number
P.O. Box	Not used	P.O.Box not allowed when Street line is used

Table 6: Address format for message submission

### 4.2 Multiple house numbers

In some countries, it is possible that building has more numbers assigned. Depending on local custom, second number may identify specific building in numbered plot or section, entrance, staircase or room. It is also possible that street name has number in it, which makes automated parsing unreliable.

If such address is encountered and entrance was done as single string (meaning person this not entered number and street line onto separate fields on via submission of the consignment), it is advised to list all detected numberings in Number element separated by coma. Such numbers should not be however extracted from Street name, but duplicated to prevent information loss during automated parsing. See table below for explanation.

#### Example:

61 KAKI BUKIT AV 1 #02-19 SINGAPORE, 417943, SG

#### **Disambiguation:**

Element Name	Format	Commentary
City	Singapore	Name of city
Country	SG	Country in ISO Code
Sub-division	Not used	No subdivision for this address
Street	61 KAKI BUKIT AV 1 #02-19	In this case Street name contains number, street is named "Kaki Bukit Av. 1", 61 is building, #02-19 helps to localise venue in the building as it is department store with multiple units.
Postcode	27002	-
Street additional line	Not used	No additional line needed
Number	61, #02-19	House number, both of the building and the unit inside the building. Both numbers are also preserved in Street Line 1.
P.O. Box	Not used	P.O.Box not allowed when Street line is used

Table 7: Address format for message submission

### 4.3 Address with no house number

In some countries, it is possible that (usually rural) addresses do not have house number. Sometimes local qualifier is used (such as "next to public school", "70m down the road" etc.). Occasionally some African countries use unofficial solutions (mobile application that generated unique code for GPS coordinates) or simply rely on the name of the person and village name.

#### Example:

SELO BULATNIKOVO 700M FROM MKAD IZMAYLOVO, 142718 RU

#### Disambiguation:

Element Name	Format	Commentary
City	Bulatnikovo	Name of village
Country	RU	Country in ISO Code
Sub-division	Not used	No subdivision for this address
Street	SELO BULATNIKOVO 700M FROM MKAD IZMAYLOVO	In this case, Street name contains village name and local quantifier, that points to the location of the village itself (near the numbered ring road around Moscow).
Postcode	142718	Postcode extracted from address line.
Street additional line	Not used	No additional line needed
Number	N/A	As house numbering does not apply for the address, "N/A" mark is used.
P.O. Box	Not used	P.O.Box not allowed when Street line is used

Table 8: Address format for message submission

### 4.4 Industrial zones

It is possible that some addresses have different structure if the recipient is in industrial or commercial zone, where house numbers or street names may not apply. It is possible that address specifies entry gate, proprietary building code or other way to uniquely identify the recipient. It is also possible that no further instructions are given, as industrial zone relies on proprietary map or guidance published at entrance. Refer to the table below to provide such address correctly.

#### Example:

THE EAST GATE OF THE HUAIDECUIGANG INDUSTRIAL PARK SHENZEN, 517057 CN

#### Disambiguation:

Element Name	Format	Commentary
City	Shenzen	Name of city
Country	CN	Country in ISO Code
Sub-division	Not used	No subdivision for this address
Street	THE EAST GATE OF THE HUAIDECUIGANG INDUSTRIAL PARK	In this case, Street name contains indication of gate in the industrial park.
Postcode	517057	Postcode extracted from address line.
Street additional line	Not used	No additional line needed
Number	N/A	As house numbering does not apply for the address, "N/A" mark is used.
P.O. Box	Not used	P.O.Box not allowed when Street line is used

Table 9: Address format for message submission

### 4.5 P.O. BOX address

For addresses where consignment is delivered to Post Office Box, street names or house numbers are not used. City and postcode are however still mandatory as they serve as way to find the post office where box is located.

#### Example:

PO BOX 1122, Los Angeles, CA, 90005, US

#### Disambiguation:

Element Name	Format	Commentary
City	LOS ANGELES	Name of city
Country	US	Country in ISO Code
Sub-division	СА	1 <sup>ST</sup> level administrative district
Street	Not allowed	Not allowed for PO Box address, street name usage would prevent submission from acceptance.
Postcode	90005	Postcode extracted from address line.
Street additional line	Not allowed	Not allowed for PO Box address, street name usage would prevent submission from acceptance.
Number	Not allowed	Not allowed for PO Box address, street name usage would prevent submission from acceptance.
P.O. Box	PO BOX 1122	PO Box number listed.

Table 10: Address format for message submission

### 4.6 Address with post office in different municipality

It is possible to encounter address, where given municipality does not have post office. In these cases, one or group of municipalities are being served by post office in different municipality.

#### Example:

HOŠTICE 233, 387 01, VOLYNĚ, CZ

#### Disambiguation:

Element Name	Format	Commentary
City	VOLYNĚ	Name of city (where post office is located)
Country	CZ	Country in ISO Code
Sub-division	Not used	1 <sup>ST</sup> level administrative district, not used in Czechia
Street	Hoštice 233	Name of the village and house number. Streets in this municipality are not named.
Postcode	387 01	Postcode extracted from address line.
Street additional line	Not used	Not needed in this example.
Number	233	House number
P.O. Box	Not used	P.O.Box not allowed when Street is used

Table 11: Address format for message submission

### 4.7 Poste restante

In some cases, addressee prefers to pick up the consignment at the post office without attempting home delivery. These addresses do not feature street name and house number, only post code of office to deliver.

#### Example:

POSTE RESTANTE, LOSHEIM AM SEE, 666 79, DE

#### Disambiguation:

Element Name	Format	Commentary
City	LOSHEIM AM SEE	Name of city (where post office is located)
Country	DE	Country in ISO Code
Sub-division	Not used	1 <sup>ST</sup> level administrative district, not used in this example
Street	POSTE RESTANTE	Instead of street line, use indication that consignment is stored at post office. It is possible to use different national languages.
Postcode	666 79	Postcode extracted from address line.
Street additional line	Not used	Not needed in this example. Can be used for password if used.
Number	N/A	As house numbering does not apply for the address, "N/A" mark is used.
P.O. Box	Not used	P.O. Box not allowed when street name is used.

Table 12: Address format for message submission

### 4.8 City districts

In case of address which has multiple city districts and post offices serving the area, it may be needed to indicate those besides street names.

#### Example:

OSTRÁ 732/29, PRAHA 14, ČERNÝ MOST, 198 00 PRAHA 98, CZ

#### Disambiguation:

Element Name	Format	Commentary
City	PRAHA 98	Name of city (where post office is located)
Country	CZ	Country in ISO Code
Sub-division	Not used	1 <sup>ST</sup> level administrative district, not used in Czechia
Street	OSTRÁ 732/29	Name of the village and house number. Streets in this municipality are not named.
Postcode	198 00	Postcode extracted from address line.
Street additional line	PRAHA 14, ČERNÝ MOST	Not needed in this example.
Number	732/29	House number
P.O. Box	Not used	P.O.Box not allowed when Street is used

Table 13: Address format for message submission

End of document