

| | | |
|------------------------|-------------------------------|------------------------|
| Owner: DG TAXUD | Issue date: 24/09/2008 | Version: 200-EN |
|------------------------|-------------------------------|------------------------|

**TAXATION AND CUSTOMS UNION DG
CUST/DEV – FC TAXUD/2006/CC/080 – SC 01**

SUBJECT:

DDNXA for ECS Phase 2

Appendix R: XML Mapping

(CUD-SC01-DDNXA_ECS_P2_APP_R)

**FRAMEWORK CONTRACT TAXUD/2006/CC/080
SPECIFIC CONTRACT 1**

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| INTRODUCTION | |

Introduction

This document presents the XML-tags for all the data items and data groups used for ECS Phase 2.

The naming of the XML tags follows specific naming convention that is:

- 3 letters form each word included in the name of the item in a capitalised format,
 - following by 3 capital letters common for all the elements within the same group,
 - following by an incremental integer number for the items within the same group.
- For the data group names only capital letters are used that correspond to the appropriate data group names.

DDNA KEL Alignment

The specific Appendix is aligned to DDNA KEL V0.17B

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|------------------|--------------------------|
| MESSAGE | | CDxxxA |
| MESSAGE.Syntax identifier | a4 | SynldeMES1 |
| MESSAGE.Syntax version number | n1 | SynVerNumMES2 |
| MESSAGE.Message sender | an..35 | MesSenMES3 |
| MESSAGE.Sender identification code qualifier | an..4 | SenldeCodQuaMES4 |
| MESSAGE.Message recipient | an..35 | MesRecMES6 |
| MESSAGE.Recipient identification code qualifier | an..4 | RecldeCodQuaMES7 |
| MESSAGE.Date of preparation | n6 | DatOfPreMES9 |
| MESSAGE.Time of preparation | n4 | TimOfPreMES10 |
| MESSAGE.Interchange control reference | an..14 | IntConRefMES11 |
| MESSAGE.Recipient's reference/password | an..14 | RecRefMES12 |
| MESSAGE.Recipient's reference/password qualifier | an2 | RecRefQuaMES13 |
| MESSAGE.Application reference | an..14 | AppRefMES14 |
| MESSAGE.Priority | a1 | PriMES15 |
| MESSAGE.Acknowledgement request | n1 | AckReqMES16 |
| MESSAGE.Communications agreement id | an..35 | ComAgrIdMES17 |
| MESSAGE.Test indicator | n1 | TesIndMES18 |
| MESSAGE.Message identification | an..14 | MesldeMES19 |
| MESSAGE.Message type | an..6 | MesTypMES20 |
| MESSAGE.Common access reference | an..35 | ComAccRefMES21 |
| MESSAGE.Original message identification | an..14 | OriMesldeMES22 |
| MESSAGE - HEADER | | HEAHEA |
| MESSAGE - HEADER.Reference number | an..22 | RefNumHEA4 |
| MESSAGE - HEADER.Document/reference number | an..21 | DocNumHEA5 |
| MESSAGE - HEADER.Type of declaration | an..9 | TypOfDecHEA24 |
| MESSAGE - HEADER.Country of destination code | a2 | CouOfDesCodHEA30 |
| MESSAGE - HEADER.Agreed location of goods, code | an..17 | AgrLocOfGooCodHEA38 |
| MESSAGE - HEADER.Agreed location of goods | an..35 | AgrLocOfGooHEA39 |
| MESSAGE - HEADER.Agreed location of goods LNG | a2 | AgrLocOfGooHEA39LNG |
| MESSAGE - HEADER.Authorised location of goods, code | an..17 | AutLocOfGooCodHEA41 |
| MESSAGE - HEADER.Place of loading, code | an..17 | PlaOfLoaCodHEA46 |
| MESSAGE - HEADER.Country of dispatch/export code | a2 | CouOfDisCodHEA55 |
| MESSAGE - HEADER.Country of export code | a2 | CouOfExpCodHEA167 |
| MESSAGE - HEADER.Customs sub place | an..17 | CusSubPlaHEA66 |
| MESSAGE - HEADER.Inland transport mode | n..2 | InlTraModHEA75 |
| MESSAGE - HEADER.Transport mode at border | n..2 | TraModAtBorHEA76 |
| MESSAGE - HEADER.Identity of means of transport at departure (exp/trans) | an..27 | IdeOfMeaOfTraAtDHEA78 |
| MESSAGE - HEADER.Identity of means of transport at departure LNG | a2 | IdeOfMeaOfTraAtDHEA78LNG |
| MESSAGE - HEADER.Identity of means of transport crossing border | an..27 | IdeOfMeaOfTraCroHEA85 |
| MESSAGE - HEADER.Identity of means of transport crossing border LNG | a2 | IdeOfMeaOfTraCroHEA85LNG |
| MESSAGE - HEADER.Nationality of means of transport crossing border | a2 | NatOfMeaOfTraCroHEA87 |
| MESSAGE - HEADER.Type of means of transport crossing border | n..2 | TypOfMeaOfTraCroHEA88 |
| MESSAGE - HEADER.Containerised indicator | n1 | ConIndHEA96 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|------------------------|
| MESSAGE - HEADER.NCTS return copy | n1 | NCTRetCopHEA104 |
| MESSAGE - HEADER.Acceptance date | n8 | AccDatHEA158 |
| MESSAGE - HEADER.Issuing date | n8 | IssDatHEA186 |
| MESSAGE - HEADER.Dialog language indicator at departure | a2 | DiaLanIndAtDepHEA254 |
| MESSAGE - HEADER.NCTS accompanying document language code | a2 | NCTSAccDocHEA601LNG |
| MESSAGE - HEADER.Country of departure code | a2 | CouOfDepCodHEA67 |
| MESSAGE - HEADER.Release requested | n1 | RelReqHEA105 |
| MESSAGE - HEADER.Date of release request | n8 | RelReqDatHEA154 |
| MESSAGE - HEADER.Date of release | n8 | DatOfRelHEA701 |
| MESSAGE - HEADER.Date limit for response | n8 | DatLimResHEA144 |
| MESSAGE - HEADER.Date of request on non-arrived movement | n8 | DatReqNonArrMovHEA149 |
| MESSAGE - HEADER.ECS accompanying document language code | a2 | ECSAccDocHEA601 |
| MESSAGE - HEADER.Total number of items | n..5 | TotNumOfItHEA305 |
| MESSAGE - HEADER.Total number of packages | n..7 | TotNumOfPacHEA306 |
| MESSAGE - HEADER.Total gross mass | n..11,3 | TotGroMasHEA307 |
| MESSAGE - HEADER.Binding itinerary | n1 | BinltiHEA246 |
| MESSAGE - HEADER.Authorisation id | an..17 | AutIdHEA380 |
| MESSAGE - HEADER.AER rejection reason code | n..2 | AERRejReaCodHEA211 |
| MESSAGE - HEADER.AER rejection reason | an..350 | AERRejReaHEA334 |
| MESSAGE - HEADER.AER rejection reason LNG | a2 | AERRejReaHEA334LNG |
| MESSAGE - HEADER.Amendment place | an..35 | AmdPlaHEA598 |
| MESSAGE - HEADER.Amendment place LNG | a2 | AmdPlaHEA598LNG |
| MESSAGE - HEADER.Date of release request rejection | n8 | DatOfRelReqRejHEA155 |
| MESSAGE - HEADER.Release request rejection reason | an..350 | RelReqRejReaHEA278 |
| MESSAGE - HEADER.Release request rejection reason LNG | a2 | RelReqRejReaHEA278LNG |
| MESSAGE - HEADER.Security code | an..8 | SecCodHEA378 |
| MESSAGE - HEADER.Date of amendment | n8 | AmdDatHEA599 |
| MESSAGE - HEADER.Amendment acceptance date | n8 | AmeAccDatHEA602 |
| MESSAGE - HEADER.Amendment rejection date | n8 | AmeRejDatHEA603 |
| MESSAGE - HEADER.Amendment rejection motivation code | n1 | AmeRejMotCodHEA604 |
| MESSAGE - HEADER.Amendment rejection motivation text | an..350 | AmeRejMotTexHEA605 |
| MESSAGE - HEADER.Amendment rejection motivation text LNG | a2 | AmeRejMotTexHEA605LNG |
| MESSAGE - HEADER.Arrival date | n8 | ArrDatHEA140 |
| MESSAGE - HEADER.Arrival notification place | an..35 | ArrNotPlaHEA60 |
| MESSAGE - HEADER.Arrival notification place LNG | a2 | ArrNotPlaHEA60LNG |
| MESSAGE - HEADER.Arrival agreed Location code | an..17 | ArrAgrLocCodHEA62 |
| MESSAGE - HEADER.Arrival agreed Location of goods | an..35 | ArrAgrLocOfGooHEA63 |
| MESSAGE - HEADER.Arrival agreed Location of goods LNG | a2 | ArrAgrLocOfGooHEA63LNG |
| MESSAGE - HEADER.Arrival authorised location of goods | an..17 | ArrAutLocOfGooHEA65 |
| MESSAGE - HEADER.Arrival rejection date | n8 | ArrRejDatHEA142 |
| MESSAGE - HEADER.Action to be taken | an..350 | ActToBeTakHEA238 |
| MESSAGE - HEADER.Action to be taken LNG | a2 | ActToBeTakHEA238LNG |
| MESSAGE - HEADER.Arrival rejection reason | an..350 | ArrRejReaHEA242 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|------------------------|
| MESSAGE - HEADER.Arrival rejection reason LNG | a2 | ArrRejReaHEA242LNG |
| MESSAGE - HEADER.Arrival notification date | n8 | ArrNotDatHEA141 |
| MESSAGE - HEADER.Dialog language indicator at destination | a2 | DiaLanIndAtDesHEA255 |
| MESSAGE - HEADER.Cancellation decision | n1 | CanDecHEA93 |
| MESSAGE - HEADER.Date of cancellation request | n8 | DatOfCanReqHEA147 |
| MESSAGE - HEADER.Cancellation reason | an..350 | CanReaHEA250 |
| MESSAGE - HEADER.Cancellation initiated by customs | n1 | CanIniByCusHEA94 |
| MESSAGE - HEADER.Date of cancellation decision | n8 | DatOfCanDecHEA146 |
| MESSAGE - HEADER.Cancellation reason LNG | a2 | CanReaHEA250LNG |
| MESSAGE - HEADER.Cancellation justification | an..350 | CanJusHEA248 |
| MESSAGE - HEADER.Date of enquiry response | n8 | DatOfEnqResHEA765 |
| MESSAGE - HEADER.Cancellation justification LNG | a2 | CanJusHEA248LNG |
| MESSAGE - HEADER.Date of cancellation | n8 | DatOfCanHEA145 |
| MESSAGE - HEADER.Declaration date | n8 | DecDatHEA383 |
| MESSAGE - HEADER.Declaration place | an..35 | DecPlaHEA394 |
| MESSAGE - HEADER.Declaration place LNG | a2 | DecPlaHEA394LNG |
| MESSAGE - HEADER.Discrepancies notification date | n8 | DisNotDatHEA608 |
| MESSAGE - HEADER.Discrepancies notification text | an..350 | DisNotTxtHEA609 |
| MESSAGE - HEADER.Discrepancies notification text LNG | a2 | DisNotTxtHEA609LNG |
| MESSAGE - HEADER.Discrepancies solved notification text LNG | a2 | DisSolNotTxtHEA612LNG |
| MESSAGE - HEADER.Diversion rejection code | n..2 | DivRejCodHEA613 |
| MESSAGE - HEADER.Diversion rejection text | an..350 | DivRejCodTxtHEA614 |
| MESSAGE - HEADER.Diversion rejection text LNG | a2 | DivRejCodTxtHEA614LNG |
| MESSAGE - HEADER.Enquiry notification date | n8 | EnqNotDatHEA615 |
| MESSAGE - HEADER.Enquiry notification text | an..350 | EnqNotTxtHEA616 |
| MESSAGE - HEADER.Enquiry notification text LNG | a2 | EnqNotTxtHEA616LNG |
| MESSAGE - HEADER.Declaration acceptance date | n8 | DecAccDatHEA1 |
| MESSAGE - HEADER.Recovery notification date | n8 | RecNotDatHEA766 |
| MESSAGE - HEADER.Recovery notification text | an..350 | RecNotTexHEA730 |
| MESSAGE - HEADER.Recovery notification text LNG | a2 | RecNotTexHEA730LNG |
| MESSAGE - HEADER.Cancel enquiry notification date | n8 | CanEnqNotDatHEA751 |
| MESSAGE - HEADER.Cancel enquiry notification remarks | an..350 | CanEnqNotRemHEA752 |
| MESSAGE - HEADER.Cancel enquiry notification remarks LNG | a2 | CanEnqNotRemHEA752LNG |
| MESSAGE - HEADER.Goods release date | n8 | GooRelDatHEA176 |
| MESSAGE - HEADER.Date of OTS diversion arrival advice | n8 | DatOfOTSDivArrAdHEA151 |
| MESSAGE - HEADER.No release motivation | an..350 | NoRelMotHEA272 |
| MESSAGE - HEADER.No release motivation LNG | a2 | NoRelMotHEA272LNG |
| MESSAGE - HEADER.Date of control notification | n8 | DatOfConNotHEA148 |
| MESSAGE - HEADER.Declaration rejection date | n8 | DecRejDatHEA159 |
| MESSAGE - HEADER.Declaration rejection reason | an..350 | DecRejReaHEA252 |
| MESSAGE - HEADER.Declaration rejection reason LNG | a2 | DecRejReaHEA252LNG |
| MESSAGE - HEADER.Status | an3 | StaHEA379 |
| MESSAGE - HEADER.Declaration submitted time | n12 | DecSubTimHEA1 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|------------------|-----------------------|
| MESSAGE - HEADER.Specific Circumstance Indicator | a1 | SpeCirIndHEA1 |
| MESSAGE - HEADER.Transport charges/ Method of Payment | a1 | TraChaMetOfPayHEA1 |
| MESSAGE - HEADER.Storing flag | n1 | StoFlaHEA1 |
| MESSAGE - HEADER.Transit | n1 | TraHEA1 |
| MESSAGE - HEADER.Total number of manifest items | n..5 | TotNumOfManlteHEA1 |
| MESSAGE - HEADER.Manifest reference number | an..22 | ManRefNumHEA1 |
| MESSAGE - HEADER.Date of presentation | n8 | DatOfPreHEA1 |
| MESSAGE - HEADER.Commercial Reference Number | an..70 | ComRefNumHEA |
| MESSAGE - HEADER.Exit Rejection Motivation | an..350 | ExiRejMotHEA1 |
| MESSAGE - HEADER.Exit Rejection Motivation LNG | a2 | ExiRejMotHEA1LNG |
| MESSAGE - HEADER.Date of request on non-exited export | an18 | DatOfReqNonExiExpHEA1 |
| MESSAGE - HEADER.Exit date | n8 | ExiDatHEA1 |
| MESSAGE - HEADER.Declaration registration date | n8 | DecRegDatHEA1 |
| MESSAGE - HEADER.Grand total taxes amount | n..15,2 | GraTotTaxAmoHEA1 |
| MESSAGE - HEADER.Nationality at Departure | a2 | NatDepHEA1 |
| MESSAGE - HEADER.Manifest Number | an..22 | ManNumHEA1 |
| MESSAGE - HEADER.Exit Rejection Motivation Code | an..2 | ExitRejMotCodHEA417 |
| MESSAGE - HEADER.Summary Declaration rejection reason code | n..2 | SumDecRejReaCodHEA423 |
| MESSAGE - HEADER.Summary Declaration rejection reason | an..350 | SumDecRejReaHEA422 |
| MESSAGE - HEADER.Summary Declaration rejection reason LNG | a2 | SumDecRejReaHEA422LNG |
| MESSAGE - HEADER.Authorised Storing Location of goods | an..17 | AuthStorLocGoodHEA416 |
| MESSAGE - HEADER.Manifest registration date | n8 | ManRegDatHEA418 |
| MESSAGE - HEADER.Manifest rejection date | n8 | ManRejDatHEA419 |
| MESSAGE - HEADER.Manifest rejection reason | an..350 | ManRejReasHEA420 |
| MESSAGE - HEADER.Manifest rejection reason LNG | a2 | ManRejReasHEA420LNG |
| MESSAGE - HEADER.Type of declaration (Box 1.2) | a1 | TypOfDecBx12HEA651 |
| MESSAGE - HEADER.Place of unloading, code | an..35 | CodPlUnHEA357 |
| MESSAGE - HEADER.Place of unloading LNG | a2 | CodPlUnHEA357LNG |
| MESSAGE - HEADER.Period from date | n8 | PerFrDatHEA980 |
| MESSAGE - HEADER.Period to date | n8 | PerToDatHEA981 |
| MESSAGE - HEADER.Extraction | n1 | ExtrHEA982 |
| MESSAGE - HEADER.Export_Query Reason Code | an..3 | ExpQuiReaCodHEA333 |
| MESSAGE - (CONSIGNOR) TRADER | | TRA CONCO1 |
| MESSAGE - (CONSIGNOR) TRADER.Name | an..35 | NamCO17 |
| MESSAGE - (CONSIGNOR) TRADER.Street and number | an..35 | StrAndNumCO122 |
| MESSAGE - (CONSIGNOR) TRADER.Postal code | an..9 | PosCodCO123 |
| MESSAGE - (CONSIGNOR) TRADER.City | an..35 | CitCO124 |
| MESSAGE - (CONSIGNOR) TRADER.Country code | a2 | CouCO125 |
| MESSAGE - (CONSIGNOR) TRADER.NAD LNG | a2 | TRA CONCO1LNG |
| MESSAGE - (CONSIGNOR) TRADER.TIN | an..17 | TINCO159 |
| MESSAGE - (EXPORTER) TRADER | | TRA EXP EX1 |
| MESSAGE - (EXPORTER) TRADER.Name | an..35 | NamEX17 |
| MESSAGE - (EXPORTER) TRADER.Street and number | an..35 | StrAndNumEX122 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|------------------|------------------|
| MESSAGE - (EXPORTER) TRADER.Postal code | an..9 | PosCodEX123 |
| MESSAGE - (EXPORTER) TRADER.City | an..35 | CitEX124 |
| MESSAGE - (EXPORTER) TRADER.Country code | a2 | CouEX125 |
| MESSAGE - (EXPORTER) TRADER.NAD LNG | a2 | NADLNGEX |
| MESSAGE - (EXPORTER) TRADER.TIN | an..17 | TINEX159 |
| MESSAGE - (CONSIGNEE) TRADER | | TRAConCE1 |
| MESSAGE - (CONSIGNEE) TRADER.Name | an..35 | NamCE17 |
| MESSAGE - (CONSIGNEE) TRADER.Street and number | an..35 | StrAndNumCE122 |
| MESSAGE - (CONSIGNEE) TRADER.Postal code | an..9 | PosCodCE123 |
| MESSAGE - (CONSIGNEE) TRADER.City | an..35 | CitCE124 |
| MESSAGE - (CONSIGNEE) TRADER.Country code | a2 | CouCE125 |
| MESSAGE - (CONSIGNEE) TRADER.NAD LNG | a2 | NADLNGCE |
| MESSAGE - (CONSIGNEE) TRADER.TIN | an..17 | TINCE159 |
| MESSAGE - (DEPARTURE) CUSTOMS OFFICE | | CUSOFFDEPEPT |
| MESSAGE - (DEPARTURE) CUSTOMS OFFICE.Reference number | an8 | RefNumEPT1 |
| MESSAGE - (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE | | CUSOFFCOMAUT |
| MESSAGE - (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE.Reference number | an8 | RefNumAUT1 |
| MESSAGE - (COMPETENT AUTHORITY FOR RECOVERY) CUSTOMS OFFICE | | CUSTOFFCOMAUTREC |
| MESSAGE - (COMPETENT AUTHORITY FOR RECOVERY) CUSTOMS OFFICE.Reference number | an8 | RefNumREC1 |
| MESSAGE - (GUARANTEE) COUNTRY | | COUGRT |
| MESSAGE - (GUARANTEE) COUNTRY.Country code | a2 | CouCodGRT764 |
| MESSAGE - (PRESENTATION OFFICE) CUSTOMS OFFICE | | CUSOFFPREOFFRES |
| MESSAGE - (PRESENTATION OFFICE) CUSTOMS OFFICE.Reference number | an8 | RefNumRES1 |
| MESSAGE - (EXPORT) CUSTOMS OFFICE | | CUSOFFEXPERT |
| MESSAGE - (EXPORT) CUSTOMS OFFICE.Reference number | an8 | RefNumERT1 |
| MESSAGE - (ACTUAL EXIT) CUSTOMS OFFICE | | ACEACE |
| MESSAGE - (ACTUAL EXIT) CUSTOMS OFFICE.Reference number | an8 | RefNumACE1 |
| MESSAGE - (TRANSIT DECLARED) CUSTOMS OFFICE | | CUSOFFTRADECCOF |
| MESSAGE - (TRANSIT DECLARED) CUSTOMS OFFICE.Reference number | an8 | RefNumCOF1 |
| MESSAGE - (EXIT) CUSTOMS OFFICE | | CUSOFFEXIEXT |
| MESSAGE - (EXIT) CUSTOMS OFFICE.Reference number | an8 | RefNumEXT1 |
| MESSAGE - (EXIT DECLARED) CUSTOMS OFFICE | | CUSOFFEXTDECEDC |
| MESSAGE - (EXIT DECLARED) CUSTOMS OFFICE.Reference number | an8 | RefNumEDC11 |
| MESSAGE - (DESTINATION DECLARED) CUSTOMS OFFICE | | CUSOFFDESDECDDC |
| MESSAGE - (DESTINATION DECLARED) CUSTOMS OFFICE.Reference number | an8 | RefNumDDC1 |
| MESSAGE - (REQUESTER) CUSTOMS OFFICE | | CUSOFFREQ |
| MESSAGE - (REQUESTER) CUSTOMS OFFICE.Reference number | an8 | RefNumEPR1 |
| MESSAGE - (GUARANTEE SIMPLIFICATION) CUSTOMS OFFICE.Reference number | an8 | RefNumSIM1 |
| MESSAGE - (RECOVERY) CUSTOMS OFFICE.Reference number | an8 | RefNumRCV1 |
| MESSAGE - (REQUESTED) CUSTOMS OFFICE | | CUSTOFFRED |
| MESSAGE - (REQUESTED) CUSTOMS OFFICE.Reference number | an8 | RefNumRED1 |
| MESSAGE - (RETURN COPIES) CUSTOMS OFFICE | | CUSOFFRETCOPOCP |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|----------------------|
| MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.Reference number | an8 | RefNumOCP1 |
| MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.Customs office name | an..35 | CusOffNamOCP2 |
| MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.Street and number | an..35 | StrAndNumOCP3 |
| MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.Country code | a2 | CouOCP4 |
| MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.Postal code | an..9 | PosCodOCP6 |
| MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.City | an..35 | CitOCP7 |
| MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.NAD LNG | a2 | NADLNGOCP |
| MESSAGE - PASSAGE.Date of passage | n8 | DatOfPasPAS627 |
| MESSAGE - CTL_CONTROL | | CTLCL1 |
| MESSAGE - CTL_CONTROL.Amendment type flag | n1 | AmeTypFlaCL628 |
| MESSAGE - CTL_CONTROL.Continue unloading | n1 | ConUnlCL130 |
| MESSAGE - CTL_CONTROL.Transhipment notified | n1 | TraNotCL630 |
| MESSAGE - CTL_CONTROL.Incident notified | n1 | IncNotCL629 |
| MESSAGE - CTL_CONTROL.Other movement information response | an..350 | OthMovInfResCL633 |
| MESSAGE - CTL_CONTROL.Other movement information response LNG | a2 | OthMovInfResCL633LNG |
| MESSAGE - CTL_CONTROL.Other movement information request | an..350 | OthMovInfReqCL631 |
| MESSAGE - CTL_CONTROL.Other movement information request LNG | a2 | OthMovInfReqCL631LNG |
| MESSAGE - CTL_CONTROL.Export Operation State Type | an..3 | ExpOpeStaTypCTL1 |
| MESSAGE - CONTROL RESULT | | CONRESERS |
| MESSAGE - CONTROL RESULT.Control date | n8 | ConDatERS14 |
| MESSAGE - CONTROL RESULT.Control result code | an2 | ConResCodERS16 |
| MESSAGE - CONTROL RESULT.Controlled by | an..35 | ConByERS18 |
| MESSAGE - CONTROL RESULT.Controlled by LNG | a2 | ConByERS18LNG |
| MESSAGE - CONTROL RESULT.Remark | an..350 | RemERS24 |
| MESSAGE - CONTROL RESULT.Remark LNG | a2 | RemERS24LNG |
| MESSAGE - CONTROL RESULT.Date limit | n8 | DatLimERS69 |
| MESSAGE - CONTROL RESULT.State of seals ok | n1 | StaOfTheSeaOKERS70 |
| MESSAGE - UNLOADING REMARK.State of seals ok | n1 | StaOfTheSeaOKREM19 |
| MESSAGE - EXIT CONTROL RESULT | | CONRESEXTR |
| MESSAGE - EXIT CONTROL RESULT.Exit date | n8 | ConDatEXR14 |
| MESSAGE - EXIT CONTROL RESULT.Control result code | an2 | ConResCodEXR16 |
| MESSAGE - EXIT CONTROL RESULT.Exit stopped date | n8 | ExtStoDatEXR68 |
| MESSAGE - EXIT CONTROL RESULT.Date limit | n8 | DatLimEXR89 |
| MESSAGE - EXIT CONTROL RESULT.State of seals ok | n1 | StaOfTheSeaOKEXR70 |
| MESSAGE - RESULTS OF CONTROL | | RESOFCON534 |
| MESSAGE - RESULTS OF CONTROL.Description | an..140 | DesTOC2 |
| MESSAGE - RESULTS OF CONTROL.Description LNG | a2 | DesTOC2LNG |
| MESSAGE - RESULTS OF CONTROL.Control indicator | a2 | ConInd424 |
| MESSAGE - RESULTS OF CONTROL.Pointer to the attribute | an..35 | PoiToTheAttTOC5 |
| MESSAGE - RESULTS OF CONTROL.Corrected value | an..27 | CorValTOC4 |
| MESSAGE - RESULTS OF CONTROL - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - RESULTS OF CONTROL - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - RESULTS OF CONTROL - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |

| | |
|----------------------------------|----------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|-------------------|
| MESSAGE - RESULTS OF CONTROL - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - RESULTS OF CONTROL - ACTION | | ACT517 |
| MESSAGE - RESULTS OF CONTROL - ACTION.Operation | a1 | Ope288 |
| MESSAGE - RESULTS OF CONTROL - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - RESULTS OF CONTROL - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - RESULTS OF CONTROL - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - RESULTS OF CONTROL - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - RESULTS OF CONTROL - ACTION.Action identification | an..20 | ActId |
| MESSAGE - SEALS INFO | | SEAINFSLI |
| MESSAGE - SEALS INFO.Seals number | n..4 | SeaNumSLI2 |
| MESSAGE - SEALS INFO - SEALS ID | | SEAIDSID |
| MESSAGE - SEALS INFO - SEALS ID.Seals identity | an..20 | SealdeSID1 |
| MESSAGE - SEALS INFO - SEALS ID.Seals identity LNG | a2 | SealdeSID1LNG |
| MESSAGE - GOODS ITEM | | GOOITEGDS |
| MESSAGE - GOODS ITEM.Item number | n..5 | IteNumGDS7 |
| MESSAGE - GOODS ITEM.Commodity code | an..22 | ComCodTarCodGDS10 |
| MESSAGE - GOODS ITEM.Type of declaration | an..9 | DecTypGDS15 |
| MESSAGE - GOODS ITEM.Goods description | an..280 | GooDesGDS23 |
| MESSAGE - GOODS ITEM.Goods description LNG | a2 | GooDesGDS23LNG |
| MESSAGE - GOODS ITEM.Gross mass | n..11,3 | GroMasGDS46 |
| MESSAGE - GOODS ITEM.Net mass | n..11,3 | NetMasGDS48 |
| MESSAGE - GOODS ITEM.Country of dispatch/export code | a2 | CouOfDisGDS58 |
| MESSAGE - GOODS ITEM.Country of destination code | a2 | CouOfDesGDS59 |
| MESSAGE - GOODS ITEM.Transport charges/ Method of Payment | a1 | MetOfPayGDI12 |
| MESSAGE - GOODS ITEM.Procedure requested | n2 | ProReqGDI1 |
| MESSAGE - GOODS ITEM.Previous Procedure | n2 | PreProGDI1 |
| MESSAGE - GOODS ITEM.Community / National Procedure | an3 | ComNatProGIM1 |
| MESSAGE - GOODS ITEM.Statistical value currency | a3 | StaValCurGDI1 |
| MESSAGE - GOODS ITEM.Statistical value amount | n..11,2 | StaValAmoGDI1 |
| MESSAGE - GOODS ITEM.Country of Origin | a2 | CouOfOriGDI1 |
| MESSAGE - GOODS ITEM.Dispatch / Production Region | an..2 | DisProRegGDI1 |
| MESSAGE - GOODS ITEM.Supplementary units | n..11 | SupUniGDI1 |
| MESSAGE - GOODS ITEM.Total item taxes amount | n..15,2 | TotIteTaxAmoGDI1 |
| MESSAGE - GOODS ITEM.Commercial Reference Number | an..70 | ComRefNumGIM1 |
| MESSAGE - GOODS ITEM.UN dangerous goods code | an4 | UNDanGooCodGDI1 |
| MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES | | PREADMREFAR2 |
| MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES.Previous document type | an..6 | PreDocTypAR21 |
| MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES.Previous document reference | an..35 | PreDocRefAR26 |
| MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES.Previous document reference LNG | a2 | PreDocRefLNG |
| MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES.Complete control | n1 | ComConAR211 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|----------------------|
| MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE | a1 | PreDocCatPREADMREF21 |
| REFERENCES.Previous Document Category | | |
| MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE | an..35 | ComOfInfAR29 |
| REFERENCES.Complement of info | | |
| MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE | a2 | ComOfInfAR29LNG |
| REFERENCES.Complement of info LNG | | |
| MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES | | PRODOCDC2 |
| MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES.Document type | an..4 | DocTypDC21 |
| MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES.Document reference | an..35 | DocRefDC23 |
| MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES.Document reference LNG | a2 | DocRefDCLNG |
| MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES.Complete control | n1 | ComConDC27 |
| MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES.Complement of info LNG | a2 | ComOfInfDC25LNG |
| MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES.Complement of info | an..35 | ComOfInfDC25 |
| MESSAGE - GOODS ITEM - SPECIAL MENTIONS | | SPEMENMT2 |
| MESSAGE - GOODS ITEM - SPECIAL MENTIONS.Additional information coded | an..5 | AddInfcodMT23 |
| MESSAGE - GOODS ITEM - SPECIAL MENTIONS.Export from country | a2 | ExpFroCouMT25 |
| MESSAGE - GOODS ITEM - SPECIAL MENTIONS.Complete control | n1 | ComConMT26 |
| MESSAGE - GOODS ITEM - SPECIAL MENTIONS.Text | an..70 | TexSPM1 |
| MESSAGE - GOODS ITEM - SPECIAL MENTIONS.Text LNG | a2 | TexSPM1LNG |
| MESSAGE - GOODS ITEM - RESULTS OF CONTROL | | RESOFCONROC |
| MESSAGE - GOODS ITEM - RESULTS OF CONTROL.Description | an..140 | DesROC2 |
| MESSAGE - GOODS ITEM - RESULTS OF CONTROL.Description LNG | a2 | DesROC2LNG |
| MESSAGE - GOODS ITEM - RESULTS OF CONTROL.Control indicator | an2 | ConIndROC1 |
| MESSAGE - GOODS ITEM - RESULTS OF CONTROL.Corrected value | an..27 | CorValGIRESCON178 |
| MESSAGE - GOODS ITEM - RESULTS OF CONTROL.Pointer to the attribute | an..35 | PoiToTheAttROC51 |
| MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER | | TRAISONCO2 |
| MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.Name | an..35 | NamCO27 |
| MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.Street and number | an..35 | StrAndNumCO222 |
| MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.Postal code | an..9 | PosCodCO223 |
| MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.City | an..35 | CitCO224 |
| MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.Country code | a2 | CouCO225 |
| MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.NAD LNG | a2 | NADLNGGTCO |
| MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.TIN | an..17 | TINCO259 |
| MESSAGE - GOODS ITEM - (EXPORTER) TRADER | | TRAICONEX2 |
| MESSAGE - GOODS ITEM - (EXPORTER) TRADER.Name | an..35 | NamEX27 |
| MESSAGE - GOODS ITEM - (EXPORTER) TRADER.Street and number | an..35 | StrAndNumEX222 |
| MESSAGE - GOODS ITEM - (EXPORTER) TRADER.Postal code | an..9 | PosCodEX223 |
| MESSAGE - GOODS ITEM - (EXPORTER) TRADER.City | an..35 | CitEX224 |
| MESSAGE - GOODS ITEM - (EXPORTER) TRADER.Country code | a2 | CouEX225 |
| MESSAGE - GOODS ITEM - (EXPORTER) TRADER.NAD LNG | a2 | NADLNGGTTEX |
| MESSAGE - GOODS ITEM - (EXPORTER) TRADER.TIN | an..17 | TINEX259 |
| MESSAGE - GOODS ITEM - (CODE) COMMODITY | | COMCODOGDITM |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|-------------------------|
| MESSAGE - GOODS ITEM - (CODE) COMMODITY.Combined Nomenclature | an..8 | ComNomCMD1 |
| MESSAGE - GOODS ITEM - (CODE) COMMODITY.TARIC code | an2 | TARCodCMD1 |
| MESSAGE - GOODS ITEM - (CODE) COMMODITY.TARIC first additional code | an4 | TARFirAddCodCMD1 |
| MESSAGE - GOODS ITEM - (CODE) COMMODITY.TARIC second additional code | an4 | TARSecAddCodCMD1 |
| MESSAGE - GOODS ITEM - (CODE) COMMODITY.National additional code | an4 | NATAddCodCMD1 |
| MESSAGE - GOODS ITEM - (TAXES) CALCULATION | | CALTAXGOD |
| MESSAGE - GOODS ITEM - (TAXES) CALCULATION.Type of tax | an3 | TypOfTaxCTX1 |
| MESSAGE - GOODS ITEM - (TAXES) CALCULATION.Tax base | an..15,2 | TaxBasCTX1 |
| MESSAGE - GOODS ITEM - (TAXES) CALCULATION.Rate of tax | an..15 | RatOfTaxCTX1 |
| MESSAGE - GOODS ITEM - (TAXES) CALCULATION.Amount of tax | n..15,2 | AmoOfTaxTCL1 |
| MESSAGE - GOODS ITEM - (TAXES) CALCULATION.Method of payment | a1 | MetOfPayCTX1 |
| MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER | | TRAConCE2 |
| MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.Name | an..35 | NamCE27 |
| MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.Street and number | an..35 | StrAndNumCE222 |
| MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.Postal code | an..9 | PosCodCE223 |
| MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.City | an..35 | CitCE224 |
| MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.Country code | a2 | CouCE225 |
| MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.NAD LNG | a2 | NADLNGGICE |
| MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.TIN | an..17 | TINCE259 |
| MESSAGE - GOODS ITEM - CONTAINERS | | CONNRR2 |
| MESSAGE - GOODS ITEM - CONTAINERS.Container number | an..17 | ConNumNR21 |
| MESSAGE - GOODS ITEM - CONTAINERS.Complete control | n1 | ComConNR22 |
| MESSAGE - GOODS ITEM - PACKAGES | | PACGS2 |
| MESSAGE - GOODS ITEM - PACKAGES.Marks & numbers of packages | an..42 | MarNumOfPacGS21 |
| MESSAGE - GOODS ITEM - PACKAGES.Marks & numbers of packages LNG | a2 | MarNumOfPacGS21LNG |
| MESSAGE - GOODS ITEM - PACKAGES.Kind of packages | an..3 | KinOfPacGS23 |
| MESSAGE - GOODS ITEM - PACKAGES.Number of packages | n..5 | NumOfPacGS24 |
| MESSAGE - GOODS ITEM - PACKAGES.Number of pieces | n..5 | NumOfPieGS25 |
| MESSAGE - GOODS ITEM - PACKAGES.Controlled packages | an..70 | ConPacGS26 |
| MESSAGE - GOODS ITEM - PACKAGES.Controlled packages LNG | a2 | ConPacGS26LNG |
| MESSAGE - GOODS ITEM - PACKAGES.Complete control | n1 | ComConGS28 |
| MESSAGE - GOODS ITEM - NOTIFY PARTY.Country code | a2 | CouCodGINOT647 |
| MESSAGE - CUSTOMS OFFICE INFORMATION | | CUSOFFINF105 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Reference number | an8 | RefNum18 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Reference number main office | an8 | RefNumMaiOff104 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Reference number higher authority | an8 | RefNumHigAut19 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Reference number take-over | an8 | RefNumTak20 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Reference number Competent Authority of Enquiry | an8 | RefNumCAEnqCUSOFFINF131 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Reference number Competent Authority of Recovery | an8 | RefNumCARecCUSOFFINF132 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Country code | a2 | CouCod21 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.UN/LOCODE id | a3 | UNLId22 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Region code | an..3 | RegCod24 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|-------------------|
| MESSAGE - CUSTOMS OFFICE INFORMATION.NCTS entry date | n8 | NCTEntDat25 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Nearest office | an..175 | NeaOff26 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Nearest office LNG | a2 | NeaOff26LNG |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Postal code | an..9 | Pos28 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Phone number | an..35 | PhoNum29 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Fax number | an..35 | FaxNum30 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Telex number | an..35 | TelNum31 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.E-mail address | an..70 | EmaAdd32 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Geo info code | an..6 | GeoInfCod33 |
| MESSAGE - CUSTOMS OFFICE INFORMATION.Trader dedicated | n1 | TraDed34 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - ACTION | | ACT119 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - ACTION.Operation | a1 | Ope288 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - ACTION.Action identification | an..20 | ActId |
| MESSAGE - CUSTOMS OFFICE INFORMATION - (DEDICATED) TRADER | | TRADED106 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - (DEDICATED) TRADER.Name | an..35 | Nam36 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - (DEDICATED) TRADER.Language code | a2 | LanCod37 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - (DEDICATED) TRADER.TIN | an..17 | TIN38 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | | COICOSN |
| SPECIFIC NOTES | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | an..6 | SpecNotCodCN634 |
| SPECIFIC NOTES.Specific notes code | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD | | CUSOFFLSD109 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD.Language code | a2 | LanCod44 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD.Customs office usual name | an..35 | CusOffUsuNam45 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD.Customs office usual name LNG | a2 | CusOffUsuNam45LNG |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD.Street and number | an..35 | StrAndNum47 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD.Street and number LNG | a2 | StrAndNum47LNG |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD.City | an..35 | Cit49 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD.City LNG | a2 | Cit49LNG |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD.Prefix-suffix level | an1 | PreLev51 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD.Prefix-suffix flag | n1 | PreFla52 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD.Prefix-suffix name | an..35 | PreNam53 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD.Prefix-suffix name LNG | a2 | PreNam53LNG |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD.Space to add | n1 | Spa55 |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE TIMETABLE | | CUSOFFTIM110 |

| | |
|----------------------------------|----------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|--------------------|
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | n1 | SeaCod57 |
| TIMETABLE.Season code | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | an..35 | SeaNam58 |
| TIMETABLE.Season name | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | a2 | SeaNam58LNG |
| TIMETABLE.Season name LNG | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | n8 | SeaStaDat60 |
| TIMETABLE.Season start date | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | n8 | SeaEndDat61 |
| TIMETABLE.Season end date | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | | CUSOFFTIMLIN111 |
| TIMETABLE - CUSTOMS OFFICE TIMETABLE LINE | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | n1 | DayInTheWeeBEGDA63 |
| TIMETABLE - CUSTOMS OFFICE TIMETABLE LINE.Day in the week (begin day) | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | n4 | OpeHouTimFirPerF64 |
| TIMETABLE - CUSTOMS OFFICE TIMETABLE LINE.Opening hours time first period from | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | n4 | OpeHouTimFirPerT65 |
| TIMETABLE - CUSTOMS OFFICE TIMETABLE LINE.Opening hours time first period to | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | n1 | DayInTheWeeENDDA66 |
| TIMETABLE - CUSTOMS OFFICE TIMETABLE LINE.Day in the week (end day) | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | n4 | OpeHouTimSecPerF67 |
| TIMETABLE - CUSTOMS OFFICE TIMETABLE LINE.Opening hours time second period from | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | n4 | OpeHouTimSecPerT68 |
| TIMETABLE - CUSTOMS OFFICE TIMETABLE LINE.Opening hours time second period to | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | | CUSOFFROLCOM112 |
| TIMETABLE - CUSTOMS OFFICE TIMETABLE LINE - CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | an..3 | Rol70 |
| TIMETABLE - CUSTOMS OFFICE TIMETABLE LINE - CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE.Role | | |
| MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE | an..3 | TraTyp71 |
| TIMETABLE - CUSTOMS OFFICE TIMETABLE LINE - CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE.Traffic type | | |
| MESSAGE - COUNTRY/REGION | | COU113 |
| MESSAGE - COUNTRY/REGION.Country code | a2 | CouCod73 |
| MESSAGE - COUNTRY/REGION.Country/region code | an..3 | CouCod74 |
| MESSAGE - COUNTRY/REGION - ACTION | | ACT119 |
| MESSAGE - COUNTRY/REGION - ACTION.Operation | a1 | Ope288 |
| MESSAGE - COUNTRY/REGION - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - COUNTRY/REGION - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - COUNTRY/REGION - ACTION.Action identification | an..20 | ActId |
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION LSD | | COULSD115 |
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION LSD.Language code | a2 | LanCod80 |
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION LSD.Country/region name | an..35 | CouNam81 |
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION LSD.Country/region name LNG | a2 | CouNam81LNG |
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION HOLIDAYS | | COUHOL116 |
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION HOLIDAYS.Variable holiday date | n1 | CouHolVarHolDat |
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION HOLIDAYS.Day | an2 | Day84 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|------------------|-----------------|
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION HOLIDAYS.Month | an2 | Mon85 |
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION HOLIDAYS.Year | n4 | Yea86 |
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION HOLIDAYS - COUNTRY/REGION HOLIDAYS LSD | | COUHOLLS117 |
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION HOLIDAYS - COUNTRY/REGION HOLIDAYS LSD.Language code | a2 | LanCod88 |
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION HOLIDAYS - COUNTRY/REGION HOLIDAYS LSD.Public holiday name | an..35 | PubHolNam89 |
| MESSAGE - COUNTRY/REGION - COUNTRY/REGION HOLIDAYS - COUNTRY/REGION HOLIDAYS LSD.Public holiday name LNG | a2 | PubHolNam89LNG |
| MESSAGE - COUNTRY HOLIDAYS | | COUHOL118 |
| MESSAGE - COUNTRY HOLIDAYS.Country code | a2 | CouCod92 |
| MESSAGE - COUNTRY HOLIDAYS - ACTION | | ACT119 |
| MESSAGE - COUNTRY HOLIDAYS - ACTION.Operation | a1 | Ope288 |
| MESSAGE - COUNTRY HOLIDAYS - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - COUNTRY HOLIDAYS - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - COUNTRY HOLIDAYS - ACTION.Action identification | an..20 | ActId |
| MESSAGE - COUNTRY HOLIDAYS - COUNTRY HOLIDAYS DATA | | COUHOLDAT120 |
| MESSAGE - COUNTRY HOLIDAYS - COUNTRY HOLIDAYS DATA.Variable holiday date | n1 | VarHolCouHolDat |
| MESSAGE - COUNTRY HOLIDAYS - COUNTRY HOLIDAYS DATA.Day | an2 | Day98 |
| MESSAGE - COUNTRY HOLIDAYS - COUNTRY HOLIDAYS DATA.Month | an2 | Mon99 |
| MESSAGE - COUNTRY HOLIDAYS - COUNTRY HOLIDAYS DATA.Year | n4 | Yea100 |
| MESSAGE - COUNTRY HOLIDAYS - COUNTRY HOLIDAYS DATA - COUNTRY HOLIDAYS DATA LSD | | COUHOLDATLSD121 |
| MESSAGE - COUNTRY HOLIDAYS - COUNTRY HOLIDAYS DATA - COUNTRY HOLIDAYS DATA LSD.Language code | a2 | LanCod102 |
| MESSAGE - COUNTRY HOLIDAYS - COUNTRY HOLIDAYS DATA - COUNTRY HOLIDAYS DATA LSD.Public holiday name | an..35 | PubHolNam89 |
| MESSAGE - COUNTRY HOLIDAYS - COUNTRY HOLIDAYS DATA - COUNTRY HOLIDAYS DATA LSD.Public holiday name LNG | a2 | PubHolNam89LNG |
| MESSAGE - AMENDMENT REJECTION MOTIVATION | | AMEREJMOT429 |
| MESSAGE - AMENDMENT REJECTION MOTIVATION.Amendment rejection motivation code | n1 | AmeRejMotCod31 |
| MESSAGE - AMENDMENT REJECTION MOTIVATION - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - AMENDMENT REJECTION MOTIVATION - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - AMENDMENT REJECTION MOTIVATION - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - AMENDMENT REJECTION MOTIVATION - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - AMENDMENT REJECTION MOTIVATION - ACTION | | ACT517 |
| MESSAGE - AMENDMENT REJECTION MOTIVATION - ACTION.Operation | a1 | Ope288 |
| MESSAGE - AMENDMENT REJECTION MOTIVATION - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - AMENDMENT REJECTION MOTIVATION - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - AMENDMENT REJECTION MOTIVATION - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - AMENDMENT REJECTION MOTIVATION - ACTION.Responsible data manager | an..35 | ResDatMan302 |

| | |
|----------------------------------|----------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|-----------------|
| MESSAGE - AMENDMENT REJECTION MOTIVATION - ACTION.Action identification | an..20 | ActId |
| MESSAGE - AAR/AER REJECTION REASON | | AARREJREA432 |
| MESSAGE - AAR/AER REJECTION REASON.AAR/AER rejection reason code | n..2 | AARRejReaCod44 |
| MESSAGE - AAR/AER REJECTION REASON - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - AAR/AER REJECTION REASON - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - AAR/AER REJECTION REASON - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |
| MESSAGE - AAR/AER REJECTION REASON - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - AAR/AER REJECTION REASON - ACTION | | ACT517 |
| MESSAGE - AAR/AER REJECTION REASON - ACTION.Operation | a1 | Ope288 |
| MESSAGE - AAR/AER REJECTION REASON - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - AAR/AER REJECTION REASON - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - AAR/AER REJECTION REASON - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - AAR/AER REJECTION REASON - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - AAR/AER REJECTION REASON - ACTION.Action identification | an..20 | ActId |
| MESSAGE - ATR REJECTION REASON | | ATRREJREA435 |
| MESSAGE - ATR REJECTION REASON.ATR rejection reason code | n..2 | ATRRejReaCod57 |
| MESSAGE - ATR REJECTION REASON - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - ATR REJECTION REASON - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - ATR REJECTION REASON - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |
| MESSAGE - ATR REJECTION REASON - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - ATR REJECTION REASON - ACTION | | ACT517 |
| MESSAGE - ATR REJECTION REASON - ACTION.Operation | a1 | Ope288 |
| MESSAGE - ATR REJECTION REASON - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - ATR REJECTION REASON - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - ATR REJECTION REASON - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - ATR REJECTION REASON - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - ATR REJECTION REASON - ACTION.Action identification | an..20 | ActId |
| MESSAGE - CONTROL RESULT CODE | | CONRESCOD438 |
| MESSAGE - CONTROL RESULT CODE.Control result code | an2 | ConResCod70 |
| MESSAGE - CONTROL RESULT CODE - ACTION | | ACT517 |
| MESSAGE - CONTROL RESULT CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - CONTROL RESULT CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - CONTROL RESULT CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - CONTROL RESULT CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - CONTROL RESULT CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - CONTROL RESULT CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - CONTROL RESULT CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - CONTROL RESULT CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|-----------------------|
| MESSAGE - CONTROL RESULT CODE - LANGUAGE SPECIFIC | an..70 | Des110 |
| DATA.Description | | |
| MESSAGE - CONTROL RESULT CODE - LANGUAGE SPECIFIC | a2 | LANSPEDAT515LNG |
| DATA.Language specific data LNG | | |
| MESSAGE - COUNTRY | | COU441 |
| MESSAGE - COUNTRY.Country code | a2 | CouCod83 |
| MESSAGE - COUNTRY.TCC entry date | n8 | TCCEntDat84 |
| MESSAGE - COUNTRY.NCTS entry date | n8 | NCTEntDat85 |
| MESSAGE - COUNTRY.Geo-nomenclature code | n3 | GeoCod86 |
| MESSAGE - COUNTRY.Country regime code | an3 | CouRegCod87 |
| MESSAGE - COUNTRY - ACTION | | ACT517 |
| MESSAGE - COUNTRY - ACTION.Operation | a1 | Ope288 |
| MESSAGE - COUNTRY - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - COUNTRY - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - COUNTRY - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - COUNTRY - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - COUNTRY - ACTION.Action identification | an..20 | ActId |
| MESSAGE - COUNTRY - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - COUNTRY - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - COUNTRY - LANGUAGE SPECIFIC DATA.Description | an..35 | Des110 |
| MESSAGE - COUNTRY - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - COUNTRY - UNAVAILABILITY MATRIX | | COUNAVMAT |
| MESSAGE - COUNTRY - UNAVAILABILITY MATRIX.Time from | n12 | CouUnaMatFrom670 |
| MESSAGE - COUNTRY - UNAVAILABILITY MATRIX.Time to | n12 | CouUnaMatTo671 |
| MESSAGE - COUNTRY - SYSTEM UNAVAILABILITY | | COSYSUNAV |
| MESSAGE - COUNTRY - SYSTEM UNAVAILABILITY.Business functionality | a1 | CouSysUNaBusFunCSU660 |
| MESSAGE - COUNTRY - SYSTEM UNAVAILABILITY.Downtime from | n12 | CouSysUNaDowFrmCSU661 |
| MESSAGE - COUNTRY - SYSTEM UNAVAILABILITY.System unavailability type | a1 | CouSysUNaTypCSU662 |
| MESSAGE - COUNTRY - SYSTEM UNAVAILABILITY.Downtime to | n12 | CouSysUNaDowToCSU663 |
| MESSAGE - COUNTRY - SYSTEM UNAVAILABILITY.Explanation | an..350 | CouSysUNaExpCSU664 |
| MESSAGE - COUNTRY - SYSTEM UNAVAILABILITY.Explanation LNG | a2 | CouSysUNaExpCSU664LNG |
| MESSAGE - COUNTRY REGIME | | COUREG444 |
| MESSAGE - COUNTRY REGIME.Country regime code | an3 | CouRegCod100 |
| MESSAGE - COUNTRY REGIME - ACTION | | ACT517 |
| MESSAGE - COUNTRY REGIME - ACTION.Operation | a1 | Ope288 |
| MESSAGE - COUNTRY REGIME - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - COUNTRY REGIME - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - COUNTRY REGIME - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - COUNTRY REGIME - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - COUNTRY REGIME - ACTION.Action identification | an..20 | ActId |
| MESSAGE - COUNTRY REGIME - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - COUNTRY REGIME - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - COUNTRY REGIME - LANGUAGE SPECIFIC DATA.Description | an..35 | Des110 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|--------------------|
| MESSAGE - COUNTRY REGIME - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - CUSTOMS OFFICE GEO INFO | | CUSOFFGEOINF447 |
| MESSAGE - CUSTOMS OFFICE GEO INFO.Geo info code | an..6 | CusOffGeoInfCod113 |
| MESSAGE - CUSTOMS OFFICE GEO INFO - ACTION | | ACT517 |
| MESSAGE - CUSTOMS OFFICE GEO INFO - ACTION.Operation | a1 | Ope288 |
| MESSAGE - CUSTOMS OFFICE GEO INFO - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - CUSTOMS OFFICE GEO INFO - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - CUSTOMS OFFICE GEO INFO - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - CUSTOMS OFFICE GEO INFO - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - CUSTOMS OFFICE GEO INFO - ACTION.Action identification | an..20 | ActId |
| MESSAGE - CUSTOMS OFFICE GEO INFO - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - CUSTOMS OFFICE GEO INFO - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - CUSTOMS OFFICE GEO INFO - LANGUAGE SPECIFIC DATA.Description | an..35 | Des110 |
| MESSAGE - CUSTOMS OFFICE GEO INFO - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - CURRENCY CODE | | CURCOD450 |
| MESSAGE - CURRENCY CODE.Currency | an3 | Cur126 |
| MESSAGE - CURRENCY CODE.Rate value | n..8,6 | RatVal127 |
| MESSAGE - CURRENCY CODE - ACTION | | ACT517 |
| MESSAGE - CURRENCY CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - CURRENCY CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - CURRENCY CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - CURRENCY CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - CURRENCY CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - CURRENCY CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - CURRENCY CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - CURRENCY CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - CURRENCY CODE - LANGUAGE SPECIFIC DATA.Description | an..35 | Des110 |
| MESSAGE - CURRENCY CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION | | DISSOLNOT456 |
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION.Discrepancies solved notification code | an..2 | DisSolNotCod153 |
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - ACTION | | ACT517 |
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - ACTION.Operation | a1 | Ope288 |
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - ACTION.Modification subtype | n1 | ModSub144 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|------------------|-----------------|
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - ACTION.Action identification | an..20 | ActId |
| MESSAGE - DIVERSION REJECTION REASON | | DIVREJREA459 |
| MESSAGE - DIVERSION REJECTION REASON.Diversion rejection reason code | n..2 | DivRejReaCod166 |
| MESSAGE - DIVERSION REJECTION REASON - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - DIVERSION REJECTION REASON - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - DIVERSION REJECTION REASON - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |
| MESSAGE - DIVERSION REJECTION REASON - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - DIVERSION REJECTION REASON - ACTION | | ACT517 |
| MESSAGE - DIVERSION REJECTION REASON - ACTION.Operation | a1 | Ope288 |
| MESSAGE - DIVERSION REJECTION REASON - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - DIVERSION REJECTION REASON - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - DIVERSION REJECTION REASON - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - DIVERSION REJECTION REASON - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - DIVERSION REJECTION REASON - ACTION.Action identification | an..20 | ActId |
| MESSAGE - DOCUMENT TYPE | | DOCTYP462 |
| MESSAGE - DOCUMENT TYPE.Document type | an..4 | DocTyp179 |
| MESSAGE - DOCUMENT TYPE.Transport document | n1 | TraDoc199 |
| MESSAGE - DOCUMENT TYPE - ACTION | | ACT517 |
| MESSAGE - DOCUMENT TYPE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - DOCUMENT TYPE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - DOCUMENT TYPE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - DOCUMENT TYPE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - DOCUMENT TYPE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - DOCUMENT TYPE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - DOCUMENT TYPE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - DOCUMENT TYPE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - DOCUMENT TYPE - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |
| MESSAGE - DOCUMENT TYPE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - GUARANTEE TYPE | | GUATYP472 |
| MESSAGE - GUARANTEE TYPE.Guarantee type | an1 | GuaTypCod217 |
| MESSAGE - GUARANTEE TYPE - ACTION | | ACT517 |
| MESSAGE - GUARANTEE TYPE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - GUARANTEE TYPE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - GUARANTEE TYPE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - GUARANTEE TYPE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - GUARANTEE TYPE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - GUARANTEE TYPE - ACTION.Action identification | an..20 | ActId |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|------------------|-----------------|
| MESSAGE - GUARANTEE TYPE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - GUARANTEE TYPE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - GUARANTEE TYPE - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |
| MESSAGE - GUARANTEE TYPE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - GUARANTEE MONITORING | | GUAMON475 |
| MESSAGE - GUARANTEE MONITORING.Guarantee monitoring code | n1 | GuaMonCod230 |
| MESSAGE - GUARANTEE MONITORING - ACTION | | ACT517 |
| MESSAGE - GUARANTEE MONITORING - ACTION.Operation | a1 | Ope288 |
| MESSAGE - GUARANTEE MONITORING - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - GUARANTEE MONITORING - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - GUARANTEE MONITORING - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - GUARANTEE MONITORING - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - GUARANTEE MONITORING - ACTION.Action identification | an..20 | ActId |
| MESSAGE - GUARANTEE MONITORING - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - GUARANTEE MONITORING - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - GUARANTEE MONITORING - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |
| MESSAGE - GUARANTEE MONITORING - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - INVALID GUARANTEE REASON | | INVGUAREA478 |
| MESSAGE - INVALID GUARANTEE REASON.Invalid guarantee reason code | an..3 | InvGuaReaCod243 |
| MESSAGE - INVALID GUARANTEE REASON - ACTION | | ACT517 |
| MESSAGE - INVALID GUARANTEE REASON - ACTION.Operation | a1 | Ope288 |
| MESSAGE - INVALID GUARANTEE REASON - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - INVALID GUARANTEE REASON - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - INVALID GUARANTEE REASON - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - INVALID GUARANTEE REASON - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - INVALID GUARANTEE REASON - ACTION.Action identification | an..20 | ActId |
| MESSAGE - INVALID GUARANTEE REASON - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - INVALID GUARANTEE REASON - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - INVALID GUARANTEE REASON - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |
| MESSAGE - INVALID GUARANTEE REASON - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - LANGUAGE CODE | | LANCOD481 |
| MESSAGE - LANGUAGE CODE.Language code | a2 | LanCod256 |
| MESSAGE - LANGUAGE CODE - ACTION | | ACT517 |
| MESSAGE - LANGUAGE CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - LANGUAGE CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - LANGUAGE CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - LANGUAGE CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - LANGUAGE CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - LANGUAGE CODE - ACTION.Action identification | an..20 | ActId |

| | |
|----------------------------------|----------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|-----------------|
| MESSAGE - LANGUAGE CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - LANGUAGE CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - LANGUAGE CODE - LANGUAGE SPECIFIC DATA.Description | an..35 | Des110 |
| MESSAGE - LANGUAGE CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - PACKAGING CODE | | PACCOD484 |
| MESSAGE - PACKAGING CODE.Kind of packages | an..3 | PacCod269 |
| MESSAGE - PACKAGING CODE - ACTION | | ACT517 |
| MESSAGE - PACKAGING CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - PACKAGING CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - PACKAGING CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - PACKAGING CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - PACKAGING CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - PACKAGING CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - PACKAGING CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - PACKAGING CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - PACKAGING CODE - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |
| MESSAGE - PACKAGING CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - ROLE | | ROL490 |
| MESSAGE - ROLE.Role | an..3 | Rol295 |
| MESSAGE - ROLE - ACTION | | ACT517 |
| MESSAGE - ROLE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - ROLE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - ROLE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - ROLE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - ROLE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - ROLE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - ROLE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - ROLE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - ROLE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - ROLE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - SENSITIVE GOODS CODE | | SENGOOCOD493 |
| MESSAGE - SENSITIVE GOODS CODE.Commodity code (taric code) | an..6 | ComCod308 |
| MESSAGE - SENSITIVE GOODS CODE.Sensitive goods code | n..2 | SenGooCod309 |
| MESSAGE - SENSITIVE GOODS CODE.Reference quantity | n..6 | RefQua310 |
| MESSAGE - SENSITIVE GOODS CODE.Unit of measure code | an..3 | UniOfMea311 |
| MESSAGE - SENSITIVE GOODS CODE.EEC territory limitation | n1 | EECTerLim312 |
| MESSAGE - SENSITIVE GOODS CODE - ACTION | | ACT517 |
| MESSAGE - SENSITIVE GOODS CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - SENSITIVE GOODS CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - SENSITIVE GOODS CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - SENSITIVE GOODS CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - SENSITIVE GOODS CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |

| | |
|----------------------------------|----------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|-----------------|
| MESSAGE - SENSITIVE GOODS CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - SENSITIVE GOODS CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - SENSITIVE GOODS CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - SENSITIVE GOODS CODE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - SENSITIVE GOODS CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - SPECIAL MENTION CODE | | SPEMENCOD496 |
| MESSAGE - SPECIAL MENTION CODE.Additional information coded | an..5 | SpeMenCod325 |
| MESSAGE - SPECIAL MENTION CODE - ACTION | | ACT517 |
| MESSAGE - SPECIAL MENTION CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - SPECIAL MENTION CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - SPECIAL MENTION CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - SPECIAL MENTION CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - SPECIAL MENTION CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - SPECIAL MENTION CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - SPECIAL MENTION CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - SPECIAL MENTION CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - SPECIAL MENTION CODE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - SPECIAL MENTION CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - STATISTICS TYPE | | STATYP499 |
| MESSAGE - STATISTICS TYPE.Statistics type | an3 | StaTyp338 |
| MESSAGE - STATISTICS TYPE - ACTION | | ACT517 |
| MESSAGE - STATISTICS TYPE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - STATISTICS TYPE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - STATISTICS TYPE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - STATISTICS TYPE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - STATISTICS TYPE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - STATISTICS TYPE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - STATISTICS TYPE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - STATISTICS TYPE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - STATISTICS TYPE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - STATISTICS TYPE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - TRAFFIC TYPE | | TRATYP502 |
| MESSAGE - TRAFFIC TYPE.Traffic type | an..3 | TraTyp351 |
| MESSAGE - TRAFFIC TYPE - ACTION | | ACT517 |
| MESSAGE - TRAFFIC TYPE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - TRAFFIC TYPE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - TRAFFIC TYPE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - TRAFFIC TYPE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - TRAFFIC TYPE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - TRAFFIC TYPE - ACTION.Action identification | an..20 | ActId |

| | |
|----------------------------------|----------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|-----------------|
| MESSAGE - TRAFFIC TYPE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - TRAFFIC TYPE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - TRAFFIC TYPE - LANGUAGE SPECIFIC DATA.Description | an..35 | Des110 |
| MESSAGE - TRAFFIC TYPE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - CUSTOMS OPERATION STATE TYPE | | CUSOPESTATYP505 |
| MESSAGE - CUSTOMS OPERATION STATE TYPE.Customs Operation State Types | an..3 | CusOpeStaTyp364 |
| MESSAGE - CUSTOMS OPERATION STATE TYPE - ACTION | | ACT517 |
| MESSAGE - CUSTOMS OPERATION STATE TYPE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - CUSTOMS OPERATION STATE TYPE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - CUSTOMS OPERATION STATE TYPE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - CUSTOMS OPERATION STATE TYPE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - CUSTOMS OPERATION STATE TYPE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - CUSTOMS OPERATION STATE TYPE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - CUSTOMS OPERATION STATE TYPE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - CUSTOMS OPERATION STATE TYPE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - CUSTOMS OPERATION STATE TYPE - LANGUAGE SPECIFIC DATA.Description | an..35 | Des110 |
| MESSAGE - CUSTOMS OPERATION STATE TYPE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - UNIT OF MEASURE | | UNIOFMEA508 |
| MESSAGE - UNIT OF MEASURE.Unit of measure code | an..3 | UniOfMeaCod377 |
| MESSAGE - UNIT OF MEASURE - ACTION | | ACT517 |
| MESSAGE - UNIT OF MEASURE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - UNIT OF MEASURE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - UNIT OF MEASURE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - UNIT OF MEASURE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - UNIT OF MEASURE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - UNIT OF MEASURE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - UNIT OF MEASURE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - UNIT OF MEASURE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - UNIT OF MEASURE - LANGUAGE SPECIFIC DATA.Description | an..35 | Des110 |
| MESSAGE - UNIT OF MEASURE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - UN/LOCODE | | UNL511 |
| MESSAGE - UN/LOCODE.Country code | a2 | CouCod390 |
| MESSAGE - UN/LOCODE.UN/LOCODE id | a3 | UNL391 |
| MESSAGE - UN/LOCODE.UN/LOCODE name | a..29 | UNLNam392 |
| MESSAGE - UN/LOCODE - ACTION | | ACT517 |
| MESSAGE - UN/LOCODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - UN/LOCODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - UN/LOCODE - ACTION.Modification subtype | n1 | ModSub144 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|-----------------|
| MESSAGE - UN/LOCODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - UN/LOCODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - UN/LOCODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - TRANSPORT MODE | | TRAMOD513 |
| MESSAGE - TRANSPORT MODE.Transport mode | n..2 | TraMod401 |
| MESSAGE - TRANSPORT MODE - ACTION | | ACT517 |
| MESSAGE - TRANSPORT MODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - TRANSPORT MODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - TRANSPORT MODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - TRANSPORT MODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - TRANSPORT MODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - TRANSPORT MODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - TRANSPORT MODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - TRANSPORT MODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - TRANSPORT MODE - LANGUAGE SPECIFIC DATA.Description | an..35 | Des110 |
| MESSAGE - TRANSPORT MODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - QUERY ON GUARANTEE TYPE | | QUEONGUATYP516 |
| MESSAGE - QUERY ON GUARANTEE TYPE.Query identifier | n1 | Quelde414 |
| MESSAGE - QUERY ON GUARANTEE TYPE - ACTION | | ACT517 |
| MESSAGE - QUERY ON GUARANTEE TYPE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - QUERY ON GUARANTEE TYPE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - QUERY ON GUARANTEE TYPE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - QUERY ON GUARANTEE TYPE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - QUERY ON GUARANTEE TYPE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - QUERY ON GUARANTEE TYPE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - QUERY ON GUARANTEE TYPE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - QUERY ON GUARANTEE TYPE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - QUERY ON GUARANTEE TYPE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - QUERY ON GUARANTEE TYPE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - INTERCHANGE ERRORS | | INTERRORS |
| MESSAGE - INTERCHANGE ERRORS.Interchange control reference | an..14 | IntConRefINT2 |
| MESSAGE - INTERCHANGE ERRORS.Message sender | an..35 | MesSenINT4 |
| MESSAGE - INTERCHANGE ERRORS.Message recipient | an..35 | MesRecINT5 |
| MESSAGE - INTERCHANGE ERRORS.Action taken by recipient | an..3 | ActRecINT1 |
| MESSAGE - INTERCHANGE ERRORS.Syntax error | n..2 | ErrTypINT6 |
| MESSAGE - INTERCHANGE ERRORS.Interchange service segment | a3 | IntSegTagINT3 |
| MESSAGE - INTERCHANGE ERRORS.Position of erroneous data element | n..3 | PosElmntINT7 |
| MESSAGE - INTERCHANGE ERRORS.Position of erroneous data component | n..3 | PosCompINT8 |
| MESSAGE - MESSAGE ERRORS | | MSGERRS |
| MESSAGE - MESSAGE ERRORS.Message identification | an..14 | MesIdMER1 |
| MESSAGE - MESSAGE ERRORS.Message type | an..6 | MesTypMER2 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|------------------|-----------------|
| MESSAGE - MESSAGE ERRORS.Message version | an..3 | MesVerMER3 |
| MESSAGE - MESSAGE ERRORS.Message release number | an..3 | MesRelNoMER4 |
| MESSAGE - MESSAGE ERRORS.Controlling agency | an..2 | MesContAgMER5 |
| MESSAGE - MESSAGE ERRORS.Association assigned code | an..6 | AssCodMER6 |
| MESSAGE - MESSAGE ERRORS.Action taken by recipient | an..3 | ActRecMER7 |
| MESSAGE - MESSAGE ERRORS.Error | n..2 | ErrTypMER8 |
| MESSAGE - MESSAGE ERRORS.Message service segment | a3 | MesSegMER9 |
| MESSAGE - MESSAGE ERRORS.Position of erroneous data element | n..3 | PosElmntMER10 |
| MESSAGE - MESSAGE ERRORS.Position of erroneous data component | n..3 | PosCompMER11 |
| MESSAGE - MESSAGE ERRORS - SEGMENT ERRORS | | MSGERRSEGEERR |
| MESSAGE - MESSAGE ERRORS - SEGMENT ERRORS.Segment position in message | n..6 | SegPosSER1 |
| MESSAGE - MESSAGE ERRORS - SEGMENT ERRORS.Error | n..2 | ErrTypSER2 |
| MESSAGE - MESSAGE ERRORS - SEGMENT ERRORS - DATA ELEMENT ERRORS | | MSGERRSEGDATERR |
| MESSAGE - MESSAGE ERRORS - SEGMENT ERRORS - DATA ELEMENT ERRORS.Error | n..2 | ErrTypDER1 |
| MESSAGE - MESSAGE ERRORS - SEGMENT ERRORS - DATA ELEMENT ERRORS.Position of erroneous data element | n..3 | PosElmntDER2 |
| MESSAGE - MESSAGE ERRORS - SEGMENT ERRORS - DATA ELEMENT ERRORS.Position of erroneous data component | n..3 | PosCompDER3 |
| MESSAGE - FUNCTIONAL ERROR | | FUNERRER1 |
| MESSAGE - FUNCTIONAL ERROR.Error type | n2 | ErrTypER11 |
| MESSAGE - FUNCTIONAL ERROR.Error pointer | an..210 | ErrPoiER12 |
| MESSAGE - FUNCTIONAL ERROR.Error reason | an..6 | ErrReaER13 |
| MESSAGE - FUNCTIONAL ERROR.Original attribute value | an..140 | OriAttValER14 |
| MESSAGE - UPL RESPONSE | | UPRUPR |
| MESSAGE - UPL RESPONSE.Original message identification | an..14 | OrMesIdUPR1 |
| MESSAGE - UPL RESPONSE.Status | a..8 | StatUPR2 |
| MESSAGE - UPL RESPONSE.Description | an..210 | DescUPR3 |
| MESSAGE - UPL ERROR | | UPEUPE |
| MESSAGE - UPL ERROR.Action identification | an..20 | ActIdUPE1 |
| MESSAGE - UPL ERROR.Attribute path | an..140 | AttPatUPE2 |
| MESSAGE - UPL ERROR.Code | an..8 | CodUPE3 |
| MESSAGE - UPL ERROR.Description | an..210 | DescUPE4 |
| MESSAGE - SPECIFIC NOTES CODE | | SPENOTCODSNC2 |
| MESSAGE - SPECIFIC NOTES CODE.Specific notes code | an..6 | SpeNotCod644 |
| MESSAGE - SPECIFIC NOTES CODE - ACTION | | ACT517 |
| MESSAGE - SPECIFIC NOTES CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - SPECIFIC NOTES CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - SPECIFIC NOTES CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - SPECIFIC NOTES CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - SPECIFIC NOTES CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - SPECIFIC NOTES CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - SPECIFIC NOTES CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|--------------------|
| MESSAGE - SPECIFIC NOTES CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - SPECIFIC NOTES CODE - LANGUAGE SPECIFIC DATA.Description | an..350 | Des110 |
| MESSAGE - SPECIFIC NOTES CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - ITINERARY | | ITI |
| MESSAGE - ITINERARY.Country of routing code | a2 | CouOfRouCodITI1 |
| MESSAGE - RISK ANALYSIS | | RISANA |
| MESSAGE - RISK ANALYSIS.Item Number involved | n..5 | IteNumInvRKA1 |
| MESSAGE - RISK ANALYSIS.Risk Analysis result code | an..5 | RisAnaResCodRKA1 |
| MESSAGE - RISK ANALYSIS.Risk Analysis text | an..350 | RisAnaTexRKA1 |
| MESSAGE - RISK ANALYSIS.Risk Analysis LNG | a2 | RisAnaTexRKA1LNG |
| MESSAGE - (DECLARANT) TRADER | | TRADEC |
| MESSAGE - (DECLARANT) TRADER.Name | an..35 | NamTDE1 |
| MESSAGE - (DECLARANT) TRADER.Street and number | an..35 | StrAndNumTDE1 |
| MESSAGE - (DECLARANT) TRADER.Postal code | an..9 | PosCodTDE1 |
| MESSAGE - (DECLARANT) TRADER.City | an..35 | CiTDE1 |
| MESSAGE - (DECLARANT) TRADER.Country code | a2 | CouCodTDE1 |
| MESSAGE - (DECLARANT) TRADER.NAD LNG | a2 | TRADECLNG |
| MESSAGE - (DECLARANT) TRADER.TIN | an..17 | TINTDE1 |
| MESSAGE - (DECLARANT) TRADER - (STATUS) REPRESENTATIVE | | REPSTATTRADEC1 |
| MESSAGE - (DECLARANT) TRADER - (STATUS) REPRESENTATIVE.Representative status code | n1 | RepStaCodRSD1 |
| MESSAGE - (EXIT CARRIER) TRADER | | TRAEXICAR |
| MESSAGE - (EXIT CARRIER) TRADER.Name | an..35 | NamTEC1 |
| MESSAGE - (EXIT CARRIER) TRADER.Street and number | an..35 | StrAndNumTEC2 |
| MESSAGE - (EXIT CARRIER) TRADER.Postal code | an..9 | PosCodTEC1 |
| MESSAGE - (EXIT CARRIER) TRADER.City | an..35 | CitTEC1 |
| MESSAGE - (EXIT CARRIER) TRADER.Country code | a2 | CouCodTEC1 |
| MESSAGE - (EXIT CARRIER) TRADER.NAD LNG | a2 | TRAEXICARLNG |
| MESSAGE - (EXIT CARRIER) TRADER.TIN | an..17 | TINTEC2 |
| MESSAGE - (TERMS) DELIVERY | | DELTER |
| MESSAGE - (TERMS) DELIVERY.Incoterm Code | a3 | IncCodTDL1 |
| MESSAGE - (TERMS) DELIVERY.Complementary code | n1 | ComCodTDL1 |
| MESSAGE - (TERMS) DELIVERY.Complement of info | an..35 | ComInfDELTER387 |
| MESSAGE - (TERMS) DELIVERY.Complement of info LNG | a2 | ComInfDELTER387LNG |
| MESSAGE - (DATA) TRANSACTION | | TRADAT |
| MESSAGE - (DATA) TRANSACTION.Currency | an..3 | CurTRD1 |
| MESSAGE - (DATA) TRANSACTION.Total amount invoiced | n..15,2 | TotAmoInvTRD1 |
| MESSAGE - (DATA) TRANSACTION.Exchange rate | n..6,5 | ExcRatTRD1 |
| MESSAGE - (DATA) TRANSACTION.Nature of transaction code | n..2 | NatOfTraFirCodTRD1 |
| MESSAGE - (PAYMENT) DEFERRED OR POSTPONED | | DEFPOSPAY |
| MESSAGE - (PAYMENT) DEFERRED OR POSTPONED.Authorisation Reference | an..35 | AutRefDPP1 |
| MESSAGE - (WAREHOUSE) IDENTIFICATION | | IDEWAR |
| MESSAGE - (WAREHOUSE) IDENTIFICATION.Warehouse type | a1 | WarTypWID1 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|--------------------------|
| MESSAGE - (WAREHOUSE) IDENTIFICATION.Authorizing country | a2 | AutCouWID1 |
| MESSAGE - (WAREHOUSE) IDENTIFICATION.Warehouse identification | an..14 | WarldeWID1 |
| MESSAGE - MANIFEST ITEM | | MANITE |
| MESSAGE - MANIFEST ITEM.Manifest item number | n..5 | ManlteNumMIT1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA | | TRADOCDATMANITE |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA.Transport document reference | an..35 | TraDocRefMTD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA.Marks & numbers of packages | an..42 | MarNumOfPacMTD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA.Marks & numbers of packages LNG | a2 | MarNumOfPacMTD1LNG |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA.Kind of packages | an..3 | KinOfPacMTD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA.Number of packages | n..5 | NumOfPacMTD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA.Number of pieces | n..5 | NumOfPieMTD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA.Gross mass | n..11,3 | GroMasMTD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA.Commodity code (taric code) | an..6 | ComCodTarCodTDD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA.Goods description text | an..35 | GooDesTexMTD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA.Goods description LNG (TR) | a2 | GooDesLNGMTD |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA.Goods description LNG | a2 | GooDesTexMTD1LNG |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA - CUSTOMS DATA | | CUSDATTRADOCDATMANITE |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA - CUSTOMS DATA.Document/reference number | an..21 | DocRefNumTDD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA - CUSTOMS DATA.Final or Partial shipment flag | n1 | FinOrParShiFlaTDD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA - CUSTOMS DATA.reference item numer | n..3 | ReflteNumTDD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA - CUSTOMS DATA.Number of packages | n..5 | NumOfPacTDD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA - CUSTOMS DATA.Number of pieces | n..5 | NumOfPieTDD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA - CUSTOMS DATA.Gross mass | n..11,3 | GroMasTDD1 |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA - CUSTOMS DATA.Document/reference Item number | n..5 | DocRefNumMANITETRADOCDA |
| MESSAGE - MANIFEST ITEM - TRANSPORT DOCUMENT DATA - CUSTOMS DATA.Item number | n..5 | ItelNumMANITETRADOCDATCU |
| MESSAGE - MANIFEST REGISTRATION | | SDAT438 |
| MESSAGE - MANIFEST REGISTRATION.Manifest LRN | an..22 | ManLRNMRG |
| MESSAGE - MANIFEST REGISTRATION.Manifest Number | an..22 | ManNumMRG1 |
| MESSAGE - MANIFEST REGISTRATION.Manifest registration date | n8 | MANRegDatMRG1 |
| MESSAGE - MANIFEST REGISTRATION.Manifest reference number | an..22 | ManRefNumMRG301 |
| MESSAGE - (EXIT) TRADER | | TRAEXI |
| MESSAGE - (EXIT) TRADER.Name | an..35 | NamTEX1 |
| MESSAGE - (EXIT) TRADER.Street and number | an..35 | StrAndNumTEX1 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|--------------------------------|
| MESSAGE - (EXIT) TRADER.Postal code | an..9 | PosCodTEX1 |
| MESSAGE - (EXIT) TRADER.City | an..35 | CitTEX1 |
| MESSAGE - (EXIT) TRADER.Country code | a2 | CouCodTEX1 |
| MESSAGE - (EXIT) TRADER.NAD LNG | a2 | TRAEXILNG |
| MESSAGE - (EXIT) TRADER.TIN | an..17 | TINTEX23 |
| MESSAGE - (COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE | | CUSOFFCAE |
| MESSAGE - (COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE.Reference number | an8 | RefNumCAC1 |
| MESSAGE - FOLLOW-UP | | FOLUP |
| MESSAGE - FOLLOW-UP.Date of information received on non-arrived movement | n8 | DatInfrNonArrMovFLU1 |
| MESSAGE - FOLLOW-UP.Information available | n1 | InfAvaFLU1 |
| MESSAGE - FOLLOW-UP.Exit date | n8 | ExiDatFLU1 |
| MESSAGE - FOLLOW-UP.Follow-up date | n8 | FolUpDatFLU1 |
| MESSAGE - FOLLOW-UP.Date of information received on non-exited export | n8 | DateInfrNonExitExpFOLUP41 5 |
| MESSAGE - (EXIT REQUESTED) CUSTOMS OFFICE | | CUSOFFEXIREQ |
| MESSAGE - (EXIT REQUESTED) CUSTOMS OFFICE.Reference number | an8 | RefNumCXR1 |
| MESSAGE - PASSAGE EXIT | | PASEXI |
| MESSAGE - PASSAGE EXIT.Date of Exit | n8 | DatOfExiPSX1 |
| MESSAGE - LOCAL AUTHORITY AT EXIT | | LOCAUTATEXI |
| MESSAGE - LOCAL AUTHORITY AT EXIT.Reference number | an8 | RefNumLAX1 |
| MESSAGE - VAT OR EXCISE OR CAP OR OTHER AUTHORITIES OR OTHERS | | VATEXCCAPOTH1 |
| MESSAGE - VAT OR EXCISE OR CAP OR OTHER AUTHORITIES OR OTHERS.ID number | an..17 | IdVECO1 |
| MESSAGE - VAT OR EXCISE OR CAP OR OTHER AUTHORITIES OR OTHERS.Name | an..35 | NamVECO1 |
| MESSAGE - VAT OR EXCISE OR CAP OR OTHER AUTHORITIES OR OTHERS.Street and number | an..35 | StrNumVECO1 |
| MESSAGE - VAT OR EXCISE OR CAP OR OTHER AUTHORITIES OR OTHERS.Country code | a2 | CouCodVECO1 |
| MESSAGE - VAT OR EXCISE OR CAP OR OTHER AUTHORITIES OR OTHERS.Postal code | an..9 | PosCodVECO1 |
| MESSAGE - VAT OR EXCISE OR CAP OR OTHER AUTHORITIES OR OTHERS.City | an..35 | CitVECO1 |
| MESSAGE - VAT OR EXCISE OR CAP OR OTHER AUTHORITIES OR OTHERS.NAD LNG | a2 | VATEXCCAPOTH1LNG |
| MESSAGE - (LODGEMENT) CUSTOMS OFFICE | | CUSOFFLON |
| MESSAGE - (LODGEMENT) CUSTOMS OFFICE.Reference number | an8 | RefNumCOL1 |
| MESSAGE - (REPRESENTATIVE) TRADER | | TRAREP |
| MESSAGE - (REPRESENTATIVE) TRADER.Name | an..35 | NamTRE1 |
| MESSAGE - (REPRESENTATIVE) TRADER.Street and number | an..35 | StrAndNumTRE1 |
| MESSAGE - (REPRESENTATIVE) TRADER.Postal code | an..9 | PosCodTRE1 |
| MESSAGE - (REPRESENTATIVE) TRADER.City | an..35 | CitTRE1 |
| MESSAGE - (REPRESENTATIVE) TRADER.Country code | a2 | CouCodTRE1 |
| MESSAGE - (REPRESENTATIVE) TRADER.NAD LNG | a2 | TRAREPLNG |
| MESSAGE - (REPRESENTATIVE) TRADER.TIN | an..17 | TINTRE1 |
| MESSAGE - (LOGGING SUMMARY DECLARATION) PERSON | | PERLODSUMDEC |
| MESSAGE - (LOGGING SUMMARY DECLARATION) PERSON.Name | an..35 | NamPLD1 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|------------------|-----------------------------|
| MESSAGE - (LODGING SUMMARY DECLARATION) PERSON.Street and number | an..35 | StrAndNumPLD1 |
| MESSAGE - (LODGING SUMMARY DECLARATION) PERSON.Postal code | an..9 | PosCodPLD1 |
| MESSAGE - (LODGING SUMMARY DECLARATION) PERSON.City | an..35 | CitPLD1 |
| MESSAGE - (LODGING SUMMARY DECLARATION) PERSON.Country code | a2 | CouCodPLD1 |
| MESSAGE - (LODGING SUMMARY DECLARATION) PERSON.NAD LNG | a2 | PERLODSUMDECLNG |
| MESSAGE - (LODGING SUMMARY DECLARATION) PERSON.TIN | an..17 | TINPLD1 |
| MESSAGE - TRANSPORT DOCUMENT DATA | | TRADOCDAT |
| MESSAGE - TRANSPORT DOCUMENT DATA.Transport document reference | an..35 | TraDocRefTRD1 |
| MESSAGE - TRANSPORT DOCUMENT DATA.Marks & numbers of packages | an..42 | MarNumOfPacTRD1 |
| MESSAGE - TRANSPORT DOCUMENT DATA.Marks & numbers of packages LNG | a2 | MarNumOfPacTRD1LNG |
| MESSAGE - TRANSPORT DOCUMENT DATA.Kind of packages | an..3 | KinOfPacTRD1 |
| MESSAGE - TRANSPORT DOCUMENT DATA.Number of packages | n..5 | NumOfPacTRD1 |
| MESSAGE - TRANSPORT DOCUMENT DATA.Number of pieces | n..5 | NumOfPieTRD1 |
| MESSAGE - TRANSPORT DOCUMENT DATA.Gross mass | n..11,3 | GroMasTRD1 |
| MESSAGE - TRANSPORT DOCUMENT DATA.Commodity code (taric code) | an..6 | ComCodTarCodTRD1 |
| MESSAGE - TRANSPORT DOCUMENT DATA.Goods description text | an..35 | GooDesTexTRD1 |
| MESSAGE - TRANSPORT DOCUMENT DATA.Goods description LNG (TR) | a2 | GooDesTexTRD1LNG |
| MESSAGE - (STATUS) REPRESENTATIVE | | STATREP385 |
| MESSAGE - (STATUS) REPRESENTATIVE.Representative status code | n1 | RepStatCodSTATREP386 |
| MESSAGE - SEALS ID | | SEAIID529 |
| MESSAGE - SEALS ID.Seals identity | an..20 | SealdSEAID530 |
| MESSAGE - SEALS ID.Seals identity LNG | a2 | SealdSEAID530LNG |
| MESSAGE - COMPLEMENTARY CODE | | COMCOD389 |
| MESSAGE - COMPLEMENTARY CODE.Complementary code | n1 | ComCodCOMCOD401 |
| MESSAGE - COMPLEMENTARY CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - COMPLEMENTARY CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - COMPLEMENTARY CODE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - COMPLEMENTARY CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - COMPLEMENTARY CODE - ACTION | | ACT517 |
| MESSAGE - COMPLEMENTARY CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - COMPLEMENTARY CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - COMPLEMENTARY CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - COMPLEMENTARY CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - COMPLEMENTARY CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - COMPLEMENTARY CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - EXPORT QUERY REASON CODE | | EXPQUEREACOD402 |
| MESSAGE - EXPORT QUERY REASON CODE.Export_Query Reason Code | an..3 | ExpQueReaCodEXPQUEREACOD414 |
| MESSAGE - EXPORT QUERY REASON CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - EXPORT QUERY REASON CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - EXPORT QUERY REASON CODE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|------------------------|
| MESSAGE - EXPORT QUERY REASON CODE - LANGUAGE SPECIFIC | a2 | LANSPEDAT515LNG |
| DATA.Language specific data LNG | | |
| MESSAGE - EXPORT QUERY REASON CODE - ACTION | | ACT517 |
| MESSAGE - EXPORT QUERY REASON CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - EXPORT QUERY REASON CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - EXPORT QUERY REASON CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - EXPORT QUERY REASON CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - EXPORT QUERY REASON CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - EXPORT QUERY REASON CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - INCOTERM CODE | | INCCOD425 |
| MESSAGE - INCOTERM CODE.Incoterm Code | a3 | IncCodINCCOD652 |
| MESSAGE - INCOTERM CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - INCOTERM CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - INCOTERM CODE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - INCOTERM CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - INCOTERM CODE - ACTION | | ACT517 |
| MESSAGE - INCOTERM CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - INCOTERM CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - INCOTERM CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - INCOTERM CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - INCOTERM CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - INCOTERM CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - NATURE OF TRANSACTION CODE | | NATTRANCOD451 |
| MESSAGE - NATURE OF TRANSACTION CODE.Nature of transaction code | n..2 | NatTranCodNATTRACOD463 |
| MESSAGE - NATURE OF TRANSACTION CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - NATURE OF TRANSACTION CODE - LANGUAGE SPECIFIC | a2 | LanCod347 |
| DATA.Language code | | |
| MESSAGE - NATURE OF TRANSACTION CODE - LANGUAGE SPECIFIC | an..70 | Des110 |
| DATA.Description | | |
| MESSAGE - NATURE OF TRANSACTION CODE - LANGUAGE SPECIFIC | a2 | LANSPEDAT515LNG |
| DATA.Language specific data LNG | | |
| MESSAGE - NATURE OF TRANSACTION CODE - ACTION | | ACT517 |
| MESSAGE - NATURE OF TRANSACTION CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - NATURE OF TRANSACTION CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - NATURE OF TRANSACTION CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - NATURE OF TRANSACTION CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - NATURE OF TRANSACTION CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - NATURE OF TRANSACTION CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - PROCEDURE REQUESTED | | PROREQ490 |
| MESSAGE - PROCEDURE REQUESTED.Procedure requested | n2 | ProReqPROREQ502 |
| MESSAGE - PROCEDURE REQUESTED - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - PROCEDURE REQUESTED - LANGUAGE SPECIFIC | a2 | LanCod347 |
| DATA.Language code | | |
| MESSAGE - PROCEDURE REQUESTED - LANGUAGE SPECIFIC | an..140 | Des110 |
| DATA.Description | | |

| | |
|----------------------------------|----------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|-----------------------------|
| MESSAGE - PROCEDURE REQUESTED - LANGUAGE SPECIFIC | a2 | LANSPEDAT515LNG |
| DATA.Language specific data LNG | | |
| MESSAGE - PROCEDURE REQUESTED - ACTION | | ACT517 |
| MESSAGE - PROCEDURE REQUESTED - ACTION.Operation | a1 | Ope288 |
| MESSAGE - PROCEDURE REQUESTED - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - PROCEDURE REQUESTED - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - PROCEDURE REQUESTED - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - PROCEDURE REQUESTED - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - PROCEDURE REQUESTED - ACTION.Action identification | an..20 | ActId |
| MESSAGE - PREVIOUS PROCEDURE | | PREPRO477 |
| MESSAGE - PREVIOUS PROCEDURE.Previous Procedure | n2 | PreProPREPRO489 |
| MESSAGE - PREVIOUS PROCEDURE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - PREVIOUS PROCEDURE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - PREVIOUS PROCEDURE - LANGUAGE SPECIFIC | an..140 | Des110 |
| DATA.Description | | |
| MESSAGE - PREVIOUS PROCEDURE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - PREVIOUS PROCEDURE - ACTION | | ACT517 |
| MESSAGE - PREVIOUS PROCEDURE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - PREVIOUS PROCEDURE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - PREVIOUS PROCEDURE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - PREVIOUS PROCEDURE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - PREVIOUS PROCEDURE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - PREVIOUS PROCEDURE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - REPRESENTATIVE STATUS CODE | | REPSTACOD503 |
| MESSAGE - REPRESENTATIVE STATUS CODE.Representative status code | n1 | RepStatCodREPSTATCOD516 |
| MESSAGE - REPRESENTATIVE STATUS CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - REPRESENTATIVE STATUS CODE - LANGUAGE SPECIFIC | a2 | LanCod347 |
| DATA.Language code | | |
| MESSAGE - REPRESENTATIVE STATUS CODE - LANGUAGE SPECIFIC | an..70 | Des110 |
| DATA.Description | | |
| MESSAGE - REPRESENTATIVE STATUS CODE - LANGUAGE SPECIFIC | a2 | LANSPEDAT515LNG |
| DATA.Language specific data LNG | | |
| MESSAGE - REPRESENTATIVE STATUS CODE - ACTION | | ACT517 |
| MESSAGE - REPRESENTATIVE STATUS CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - REPRESENTATIVE STATUS CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - REPRESENTATIVE STATUS CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - REPRESENTATIVE STATUS CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - REPRESENTATIVE STATUS CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - REPRESENTATIVE STATUS CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - RISK ANALYSIS RESULT CODE | | RISANARESCOD382 |
| MESSAGE - RISK ANALYSIS RESULT CODE.Language code | a2 | LangCodRISANRESCOD527 |
| MESSAGE - RISK ANALYSIS RESULT CODE.Risk Analysis result code | an1 | RisAnaResCodRISANARESCOD528 |
| MESSAGE - RISK ANALYSIS RESULT CODE - ACTION | | ACT517 |
| MESSAGE - RISK ANALYSIS RESULT CODE - ACTION.Operation | a1 | Ope288 |

| | |
|----------------------------------|----------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|-----------------------------------|
| MESSAGE - RISK ANALYSIS RESULT CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - RISK ANALYSIS RESULT CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - RISK ANALYSIS RESULT CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - RISK ANALYSIS RESULT CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - RISK ANALYSIS RESULT CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - RISK ANALYSIS RESULT CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - RISK ANALYSIS RESULT CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - RISK ANALYSIS RESULT CODE - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |
| MESSAGE - RISK ANALYSIS RESULT CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR | | SPECCIRIND384 |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR.Specific Circumstance Indicator | a1 | SpeCirIndSPECIRIND543 |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - ACTION | | ACT517 |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - ACTION.Operation | a1 | Ope288 |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - ACTION.Action identification | an..20 | ActId |
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE | | SUMDECRejReaCod544 |
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE.Summary Declaration rejection reason code | n..2 | SumDecRejReaCodSUMDECRejReaCod556 |
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - ACTION | | ACT517 |
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|---------------------------|
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - TYPE OF TAX | | TYPOFTAX570 |
| MESSAGE - TYPE OF TAX.Type of tax | an3 | TypOfTaxTYPOFTAX582 |
| MESSAGE - TYPE OF TAX - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - TYPE OF TAX - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - TYPE OF TAX - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - TYPE OF TAX - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - TYPE OF TAX - ACTION | | ACT517 |
| MESSAGE - TYPE OF TAX - ACTION.Operation | a1 | Ope288 |
| MESSAGE - TYPE OF TAX - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - TYPE OF TAX - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - TYPE OF TAX - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - TYPE OF TAX - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - TYPE OF TAX - ACTION.Action identification | an..20 | ActId |
| MESSAGE - WAREHOUSE TYPE | | WARTYP595 |
| MESSAGE - WAREHOUSE TYPE.Warehouse type | a1 | WarTypWARTYP607 |
| MESSAGE - WAREHOUSE TYPE - ACTION | | ACT517 |
| MESSAGE - WAREHOUSE TYPE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - WAREHOUSE TYPE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - WAREHOUSE TYPE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - WAREHOUSE TYPE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - WAREHOUSE TYPE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - WAREHOUSE TYPE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - WAREHOUSE TYPE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - WAREHOUSE TYPE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - WAREHOUSE TYPE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - WAREHOUSE TYPE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - UN DANGEROUS GOODS CODE | | UNDANGOOCOD583 |
| MESSAGE - UN DANGEROUS GOODS CODE.UN dangerous goods code | an4 | UNDangoocodUNDANGOOCOD594 |
| MESSAGE - UN DANGEROUS GOODS CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - UN DANGEROUS GOODS CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - UN DANGEROUS GOODS CODE - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |
| MESSAGE - UN DANGEROUS GOODS CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - UN DANGEROUS GOODS CODE - ACTION | | ACT517 |
| MESSAGE - UN DANGEROUS GOODS CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - UN DANGEROUS GOODS CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - UN DANGEROUS GOODS CODE - ACTION.Modification subtype | n1 | ModSub144 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|------------------|-----------------------|
| MESSAGE - UN DANGEROUS GOODS CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - UN DANGEROUS GOODS CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - UN DANGEROUS GOODS CODE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE | | COMNATPRO106 |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE.Community / National Procedure | an3 | ComNatProCOM613 |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE - ACTION | | ACT517 |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - COMMUNITY NATIONAL PROCEDURE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY | | PREVDOCCAT464 |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY.Previous Document Category | a1 | PreDocCatPREDOCCAT476 |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY - ACTION | | ACT517 |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY - ACTION.Operation | a1 | Ope288 |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - PREVIOUS DOCUMENT CATEGORY - ACTION.Action identification | an..20 | ActId |
| MESSAGE - METHOD OF PAYMENT | | METHOFPAY367 |
| MESSAGE - METHOD OF PAYMENT.Method of payment | a1 | MethofPayMETHOFPAY450 |
| MESSAGE - METHOD OF PAYMENT - ACTION | | ACT517 |
| MESSAGE - METHOD OF PAYMENT - ACTION.Operation | a1 | Ope288 |
| MESSAGE - METHOD OF PAYMENT - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - METHOD OF PAYMENT - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - METHOD OF PAYMENT - ACTION.Legal references | an..70 | LegRef197 |

| | |
|----------------------------------|----------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|----------------------------------|
| MESSAGE - METHOD OF PAYMENT - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - METHOD OF PAYMENT - ACTION.Action identification | an..20 | ActId |
| MESSAGE - METHOD OF PAYMENT - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - METHOD OF PAYMENT - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - METHOD OF PAYMENT - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - METHOD OF PAYMENT - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT | | TRACHAMETOFPAY557 |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT.Transport charges/ Method of Payment | a1 | TraChaMetOfPayTRACHAMETO FPAY569 |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - ACTION | | ACT517 |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - ACTION.Operation | a1 | Ope288 |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - ACTION.Action identification | an..20 | ActId |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - DECLARATION TYPE | | DECTYP453 |
| MESSAGE - DECLARATION TYPE.Type of declaration | an..9 | DecTyp140 |
| MESSAGE - DECLARATION TYPE - ACTION | | ACT517 |
| MESSAGE - DECLARATION TYPE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - DECLARATION TYPE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - DECLARATION TYPE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - DECLARATION TYPE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - DECLARATION TYPE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - DECLARATION TYPE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - DECLARATION TYPE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - DECLARATION TYPE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - DECLARATION TYPE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - DECLARATION TYPE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - DECLARATION TYPE (BOX 1.2) | | DECTYPBX2 |
| MESSAGE - DECLARATION TYPE (BOX 1.2).Type of declaration (Box 1.2) | a1 | TypOfDecBx2DEC626 |
| MESSAGE - DECLARATION TYPE (BOX 1.2) - ACTION | | ACT517 |
| MESSAGE - DECLARATION TYPE (BOX 1.2) - ACTION.Operation | a1 | Ope288 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|------------------|-----------------|
| MESSAGE - DECLARATION TYPE (BOX 1.2) - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - DECLARATION TYPE (BOX 1.2) - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - DECLARATION TYPE (BOX 1.2) - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - DECLARATION TYPE (BOX 1.2) - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - DECLARATION TYPE (BOX 1.2) - ACTION.Action identification | an..20 | ActId |
| MESSAGE - DECLARATION TYPE (BOX 1.2) - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - DECLARATION TYPE (BOX 1.2) - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - DECLARATION TYPE (BOX 1.2) - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - DECLARATION TYPE (BOX 1.2) - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - ENQUIRY | | ENQENQ |
| MESSAGE - ENQUIRY.Response Code | n..2 | RespCodENQ151 |
| MESSAGE - INFORMATION | | INF359 |
| MESSAGE - INFORMATION.Information Code | n2 | InfCodINF045 |
| MESSAGE - INFORMATION - ACTION | | ACT517 |
| MESSAGE - INFORMATION - ACTION.Operation | a1 | Ope288 |
| MESSAGE - INFORMATION - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - INFORMATION - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - INFORMATION - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - INFORMATION - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - INFORMATION - ACTION.Action identification | an..20 | ActId |
| MESSAGE - INFORMATION - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - INFORMATION - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - INFORMATION - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |
| MESSAGE - INFORMATION - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - SECURITY | | SEC653 |
| MESSAGE - SECURITY.Security | n1 | SecSEC654 |
| MESSAGE - SECURITY - ACTION | | ACT517 |
| MESSAGE - SECURITY - ACTION.Operation | a1 | Ope288 |
| MESSAGE - SECURITY - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - SECURITY - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - SECURITY - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - SECURITY - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - SECURITY - ACTION.Action identification | an..20 | ActId |
| MESSAGE - SECURITY - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - SECURITY - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - SECURITY - LANGUAGE SPECIFIC DATA.Description | an..140 | Des110 |
| MESSAGE - SECURITY - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - PREVIOUS DOCUMENT TYPE | | PREDOCTYP463 |
| MESSAGE - PREVIOUS DOCUMENT TYPE.Previous document type | an..6 | PreDocTyp180 |
| MESSAGE - PREVIOUS DOCUMENT TYPE - ACTION | | ACT517 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|---|------------------|------------------------------------|
| MESSAGE - PREVIOUS DOCUMENT TYPE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - PREVIOUS DOCUMENT TYPE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - PREVIOUS DOCUMENT TYPE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - PREVIOUS DOCUMENT TYPE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - PREVIOUS DOCUMENT TYPE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - PREVIOUS DOCUMENT TYPE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - PREVIOUS DOCUMENT TYPE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - PREVIOUS DOCUMENT TYPE - LANGUAGE SPECIFIC | a2 | LanCod347 |
| DATA.Language code | | |
| MESSAGE - PREVIOUS DOCUMENT TYPE - LANGUAGE SPECIFIC | an..140 | Des110 |
| DATA.Description | | |
| MESSAGE - PREVIOUS DOCUMENT TYPE - LANGUAGE SPECIFIC | a2 | LANSPEDAT515LNG |
| DATA.Language specific data LNG | | |
| MESSAGE - REQUESTED INFORMATION | | REQINF690 |
| MESSAGE - REQUESTED INFORMATION.Requested Information Code | an..2 | ReqInfCodREQINF546 |
| MESSAGE - REQUESTED INFORMATION - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - REQUESTED INFORMATION - LANGUAGE SPECIFIC | a2 | LanCod347 |
| DATA.Language code | | |
| MESSAGE - REQUESTED INFORMATION - LANGUAGE SPECIFIC | an..70 | Des110 |
| DATA.Description | | |
| MESSAGE - REQUESTED INFORMATION - LANGUAGE SPECIFIC | a2 | LANSPEDAT515LNG |
| DATA.Language specific data LNG | | |
| MESSAGE - REQUESTED INFORMATION - ACTION | | ACT517 |
| MESSAGE - REQUESTED INFORMATION - ACTION.Operation | a1 | Ope288 |
| MESSAGE - REQUESTED INFORMATION - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - REQUESTED INFORMATION - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - REQUESTED INFORMATION - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - REQUESTED INFORMATION - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - REQUESTED INFORMATION - ACTION.Action identification | an..20 | ActId |
| MESSAGE - RESPONSE | | RES909 |
| MESSAGE - RESPONSE.Response Code | n..2 | ResCodRES645 |
| MESSAGE - RESPONSE - ACTION | | ACT517 |
| MESSAGE - RESPONSE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - RESPONSE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - RESPONSE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - RESPONSE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - RESPONSE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - RESPONSE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - RESPONSE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - RESPONSE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - RESPONSE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - ITEM NUMBER REJECTION REASON CODE | | TENUMREJREACOD440 |
| MESSAGE - ITEM NUMBER REJECTION REASON CODE.Item number rejection reason code | n..2 | ItemNumRejReaCodITENUMREJREACOD444 |
| MESSAGE - ITEM NUMBER REJECTION REASON CODE - ACTION | | ACT517 |
| MESSAGE - ITEM NUMBER REJECTION REASON CODE - ACTION.Operation | a1 | Ope288 |

| | |
|----------------------------------|----------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|------------------------------|
| MESSAGE - ITEM NUMBER REJECTION REASON CODE - ACTION.Validity date n8 | | ValDat103 |
| MESSAGE - ITEM NUMBER REJECTION REASON CODE - n1 | | ModSub144 |
| ACTION.Modification subtype | | |
| MESSAGE - ITEM NUMBER REJECTION REASON CODE - ACTION.Legal references an..70 | | LegRef197 |
| MESSAGE - ITEM NUMBER REJECTION REASON CODE - ACTION.Responsible data manager an..35 | | ResDatMan302 |
| MESSAGE - ITEM NUMBER REJECTION REASON CODE - ACTION.Action identification an..20 | | ActId |
| MESSAGE - ITEM NUMBER REJECTION REASON CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - ITEM NUMBER REJECTION REASON CODE - LANGUAGE SPECIFIC DATA.Language code a2 | | LanCod347 |
| MESSAGE - ITEM NUMBER REJECTION REASON CODE - LANGUAGE SPECIFIC DATA.Description an..70 | | Des110 |
| MESSAGE - ITEM NUMBER REJECTION REASON CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG a2 | | LANSPEDAT515LNG |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE | | PREPROMEACOD441 |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE.Preventive/prohibitive measure code an..5 | | PreProMeaCodPREPROMEACO D442 |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE - ACTION ACT517 | | |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE - ACTION.Operation a1 | | Ope288 |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE - ACTION.Validity date n8 | | ValDat103 |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE - ACTION.Modification subtype n1 | | ModSub144 |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE - ACTION.Legal references an..70 | | LegRef197 |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE - ACTION.Responsible data manager an..35 | | ResDatMan302 |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE - ACTION.Action identification an..20 | | ActId |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE - LANGUAGE SPECIFIC DATA.Language code a2 | | LanCod347 |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE - LANGUAGE SPECIFIC DATA.Description an..70 | | Des110 |
| MESSAGE - PREVENTIVE/PROHIBITIVE MEASURE CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG a2 | | LANSPEDAT515LNG |
| MESSAGE - CUSTOMS INTERVENTION | | CUSINT632 |
| MESSAGE - CUSTOMS INTERVENTION.Customs Intervention code an..4 | | CusIntCodCUSINT665 |
| MESSAGE - CUSTOMS INTERVENTION - ACTION ACT517 | | |
| MESSAGE - CUSTOMS INTERVENTION - ACTION.Operation a1 | | Ope288 |
| MESSAGE - CUSTOMS INTERVENTION - ACTION.Validity date n8 | | ValDat103 |
| MESSAGE - CUSTOMS INTERVENTION - ACTION.Modification subtype n1 | | ModSub144 |
| MESSAGE - CUSTOMS INTERVENTION - ACTION.Legal references an..70 | | LegRef197 |
| MESSAGE - CUSTOMS INTERVENTION - ACTION.Responsible data manager an..35 | | ResDatMan302 |
| MESSAGE - CUSTOMS INTERVENTION - ACTION.Action identification an..20 | | ActId |
| MESSAGE - CUSTOMS INTERVENTION - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - CUSTOMS INTERVENTION - LANGUAGE SPECIFIC DATA.Language code a2 | | LanCod347 |

| | |
|---|-----------------------------------|
| DDNXA FOR ECS PHASE 2 | VER: 200-EN |
| REF: CUD-SC01-DDNXA_ECS_P2_APP_R | ALIGNED TO DDNA KEL V0.17B |
| APPENDIX R: XML MAPPING | |
| XML-Tags | |

| Data-group or Data-item | Data type | XML-Tag |
|--|------------------|------------------|
| MESSAGE - CUSTOMS INTERVENTION - LANGUAGE SPECIFIC | an..70 | Des110 |
| DATA.Description | | |
| MESSAGE - CUSTOMS INTERVENTION - LANGUAGE SPECIFIC | a2 | LANSPEDAT515LNG |
| DATA.Language specific data LNG | | |
| MESSAGE - INFORMATION TYPE | | INF_TYP432 |
| MESSAGE - INFORMATION TYPE.Information type | n..2 | InfTypINF_TYP433 |
| MESSAGE - INFORMATION TYPE - ACTION | | ACT517 |
| MESSAGE - INFORMATION TYPE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - INFORMATION TYPE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - INFORMATION TYPE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - INFORMATION TYPE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - INFORMATION TYPE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - INFORMATION TYPE - ACTION.Action identification | an..20 | ActId |
| MESSAGE - INFORMATION TYPE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - INFORMATION TYPE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - INFORMATION TYPE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - INFORMATION TYPE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - XML ERROR.Error Code | n2 | ErrCodXMLER806 |
| MESSAGE - RESPONSE CODE | | RESCOD |
| MESSAGE - RESPONSE CODE.Response Code | n..2 | ResCodRESCOD569 |
| MESSAGE - RESPONSE CODE - LANGUAGE SPECIFIC DATA | | LANSPEDAT515 |
| MESSAGE - RESPONSE CODE - LANGUAGE SPECIFIC DATA.Language code | a2 | LanCod347 |
| MESSAGE - RESPONSE CODE - LANGUAGE SPECIFIC DATA.Description | an..70 | Des110 |
| MESSAGE - RESPONSE CODE - LANGUAGE SPECIFIC DATA.Language specific data LNG | a2 | LANSPEDAT515LNG |
| MESSAGE - RESPONSE CODE - ACTION | | ACT517 |
| MESSAGE - RESPONSE CODE - ACTION.Operation | a1 | Ope288 |
| MESSAGE - RESPONSE CODE - ACTION.Validity date | n8 | ValDat103 |
| MESSAGE - RESPONSE CODE - ACTION.Modification subtype | n1 | ModSub144 |
| MESSAGE - RESPONSE CODE - ACTION.Legal references | an..70 | LegRef197 |
| MESSAGE - RESPONSE CODE - ACTION.Responsible data manager | an..35 | ResDatMan302 |
| MESSAGE - RESPONSE CODE - ACTION.Action identification | an..20 | ActId |